## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sikaflex® PRO-3 SL

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Norge AS
Sanitetsveien 1
2013 Skjetten
Telephone : +47 67 06 79 00
E-mail address of person responsible for the SDS : kundeservice@no.sika.com

### 1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**

P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.

**Response:**

P333 + P313 If skin irritation or rash occurs: Get medical

| | |
|---|---|
| | advice/ attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| **Disposal:** | |
| P501 | Dispose of contents/container in accordance with local regulation. |

**Hazardous components which must be listed on the label:**

Hardener LI (Isophoronedialdimine)
Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane
Pentamethyl piperidylsebacate
4,4'-methylenediphenyl diisocyanate
m-tolylidene diisocyanate

**Additional Labelling**

| | |
|---|---|
| EUH204 | Contains isocyanates. May produce an allergic reaction. |
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| | "As from 24 August 2023 adequate training is required before industrial or professional use." |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification | Concentration (% w/w) |
|---|---|---|---|
| Hardener LI (Isophoronedialdimine) | 932742-30-8<br>700-071-4<br>01-2119880654-28-XXXX | Skin Sens. 1B; H317<br>Aquatic Chronic 3; H412 | >= 1 - < 2,5 |

| | | | |
|---|---|---|---|
| Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane | 192526-20-8<br>924-669-1<br>01-2120768758-32-XXXX | Skin Sens. 1A; H317 | >= 0,1 - < 0,5 |
| Pentamethyl piperidylsebacate<br>Contains:<br>bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate<br>methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | 1065336-91-5<br>915-687-0<br>01-2119491304-40-XXXX | Skin Sens. 1A; H317<br>Repr. 2; H361f<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>---<br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1 | >= 0,1 - < 0,25 |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8<br>202-966-0<br>615-005-00-9<br>01-2119457014-47-XXXX | Acute Tox. 4; H332<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Resp. Sens. 1; H334<br>Skin Sens. 1; H317<br>Carc. 2; H351<br>STOT SE 3; H335 (Respiratory system)<br>STOT RE 2; H373<br>---<br>specific concentration limit<br>Eye Irrit. 2; H319<br>>= 5 %<br><br>STOT SE 3; H335<br>>= 5 %<br><br>Skin Irrit. 2; H315<br>>= 5 %<br><br>Resp. Sens. 1; H334<br>>= 0,1 %<br><br>---<br>Acute toxicity estimate<br><br>Acute inhalation toxicity (dust/mist): 1,5 mg/l | < 0,1 |

| | | | |
|---|---|---|---|
| m-tolylidene diisocyanate | 26471-62-5<br>247-722-4<br>615-006-00-4<br>01-2119454791-34-XXXX | Acute Tox. 1; H330<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Resp. Sens. 1; H334<br>Skin Sens. 1; H317<br>Carc. 2; H351<br>STOT SE 3; H335 (Respiratory system)<br>Aquatic Chronic 3; H412<br>---<br>specific concentration limit<br>Resp. Sens. 1; H334<br>>= 0,1 %<br>---<br>Acute toxicity estimate<br><br>Acute inhalation toxicity (vapour): 0,107 mg/l | >= 0,025 - < 0,1 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

| | | |
|---|---|---|
| Symptoms | : | Allergic reactions<br>See Section 11 for more detailed information on health effects and symptoms. |
| Risks | : | sensitising effects<br><br>May cause an allergic skin reaction. |

### 4.3 Indication of any immediate medical attention and special treatment needed

| | | |
|---|---|---|
| Treatment | : | Treat symptomatically. |

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

| | | |
|---|---|---|
| Suitable extinguishing media | : | In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. |

### 5.2 Special hazards arising from the substance or mixture

| | | |
|---|---|---|
| Hazardous combustion products | : | No hazardous combustion products are known |

### 5.3 Advice for firefighters

| | | |
|---|---|---|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |
| Further information | : | Standard procedure for chemical fires. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

| | | |
|---|---|---|
| Personal precautions | : | Use personal protective equipment.<br>Deny access to unprotected persons. |

### 6.2 Environmental precautions

| | | |
|---|---|---|
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system. |

### 6.3 Methods and material for containment and cleaning up

| | | |
|---|---|---|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).
Do not get in eyes, on skin, or on clothing.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters * | Basis * |
|---|---|---|---|---|
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | STEL | 0,01 ppm | FOR-2011-12-06-1358 |
| | Further information: Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin | | | |
| | | TWA | 0,005 ppm<br>0,05 mg/m3 | FOR-2011-12-06-1358 |
| | | TWA | 0,01 mg/m3 | 98/24/EC I |

| | | | | |
|---|---|---|---|---|
| | | | (NCO) | |
| | Further information: Skin, Dermal and respiratory sensitisation, Binding | | | |
| | | STEL | 0,02 mg/m3 (NCO) | 98/24/EC I |
| m-tolylidene diisocyanate | 26471-62-5 | TWA | 0,005 ppm 0,035 mg/m3 | FOR-2011-12-06-1358 |
| | Further information: Substances considered to be carcinogenic, Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin | | | |
| | | STEL | 0,01 ppm | FOR-2011-12-06-1358 |
| | | TWA | 0,005 ppm | FOR-2011-12-06-1358 |
| | Further information: Substances considered to evoke allergies when coming into touch with the eyes or airways or evoking allergies after coming into contact with the skin | | | |
| | | STEL | 0,01 ppm | FOR-2011-12-06-1358 |
| | | TWA | 0,01 mg/m3 (NCO) | 98/24/EC I |
| | Further information: Skin, Dermal and respiratory sensitisation, Binding | | | |
| | | STEL | 0,02 mg/m3 (NCO) | 98/24/EC I |

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|---|---|---|---|
| Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane | Workers | Inhalation | Long-term systemic effects | 1,7 mg/m3 |
| | Workers | Dermal | Long-term systemic effects | 4,7 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 0,3 mg/m3 |
| | Consumers | Dermal | Long-term systemic effects | 1,7 mg/kg |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

| Substance name | Environmental Compartment | Value |
|---|---|---|
| Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane | Fresh water | 0,1 mg/l |
| | Intermittent use/release | 1 mg/l |
| | Marine water | 0,01 mg/l |
| | Intermittent use/release | 1 mg/l |
| | Fresh water sediment | 23,28 mg/kg |
| | Marine sediment | 2,33 mg/kg |
| | Sewage treatment plant | 100 mg/l |
| | Soil | 4,58 mg/kg |

### 8.2 Exposure controls

**Appropriate engineering controls**

Maintain air concentrations below occupational exposure standards.
Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment (PPE)**

| | | |
|---|---|---|
| Eye/face protection | : | Safety glasses with side-shields conforming to EN166 |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.<br>Suitable for short time use or protection against splashes:<br>Butyl rubber/nitrile rubber gloves (> 0,1 mm)<br>Contaminated gloves should be removed.<br>Suitable for permanent exposure:<br>Viton gloves (0.4 mm),<br>breakthrough time >30 min. |
| Skin and body protection | : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work. |
| Respiratory protection | : | In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.<br>organic vapor filter (Type A)<br>A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm<br>Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. |

**Environmental exposure controls**

| | | |
|---|---|---|
| General advice | : | Do not flush into surface water or sanitary sewer system. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | liquid |
| Form | : | paste |
| Colour | : | black |
| Odour | : | none |
| Melting point/ range / Freezing point | : | No data available |

| | | |
|---|---|---|
| Boiling point/boiling range | : | No data available |
| Flammability (solid, gas) | : | No data available |

**Upper/lower flammability or explosive limits**

| | | |
|---|---|---|
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | > 101 °C<br>Method: closed cup |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| pH | : | Not applicable<br>substance/mixture is non-soluble (in water) |

**Viscosity**

| | | |
|---|---|---|
| Viscosity, dynamic | : | ca. 42.000 mPa.s (20 °C) |
| Viscosity, kinematic | : | > 20,5 mm2/s (40 °C) |

**Solubility(ies)**

| | | |
|---|---|---|
| Water solubility | : | insoluble |
| Partition coefficient: n-octanol/water | : | No data available |
| Vapour pressure | : | 0,01 hPa |
| Density | : | ca. 1,40 g/cm3 (20 °C) |
| Relative vapour density | : | No data available |
| Particle characteristics | : | No data available |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

The product is chemically stable.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : No hazards to be specially mentioned.

**10.4 Conditions to avoid**

Conditions to avoid : Avoid moisture.

**10.5 Incompatible materials**

Materials to avoid : No data available

**10.6 Hazardous decomposition products**

: No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Not classified due to lack of data.

**Components:**

**Hardener LI (Isophoronedialdimine):**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

**Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane:**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

**Pentamethyl piperidylsebacate:**

Acute oral toxicity : LD50 Oral (Rat): 3.230 mg/kg

**4,4'-methylenediphenyl diisocyanate:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 1,5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement

Acute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: ATE value derived from LD50/LC50 value

**m-tolylidene diisocyanate:**

Acute inhalation toxicity : LC50 (Rat): 0,107 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute toxicity estimate: 0,107 mg/l
Test atmosphere: vapour
Method: Calculation method

**Skin corrosion/irritation**

Not classified due to lack of data.

**Serious eye damage/eye irritation**

Not classified due to lack of data.

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified due to lack of data.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Carcinogenicity**

Not classified due to lack of data.

**Reproductive toxicity**

Not classified due to lack of data.

**STOT - single exposure**

Not classified due to lack of data.

**STOT - repeated exposure**

Not classified due to lack of data.

**Aspiration hazard**

Not classified due to lack of data.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

Not classified due to lack of data.

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**Hardener LI (Isophoronedialdimine):**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Fish): 87,2 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia (water flea)): > 100 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): 180,4 mg/l<br>Exposure time: 72 h |

**Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |

**Pentamethyl piperidylsebacate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Fish): 0,97 mg/l<br>Exposure time: 96 h |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

| | | |
|---|---|---|
| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. |

### 12.6 Endocrine disrupting properties

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

### 12.7 Other adverse effects

**Product:**

| | | |
|---|---|---|
| Additional ecological information | : | There is no data available for this product. |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

| | | |
|---|---|---|
| Product | : | The generation of waste should be avoided or minimized wherever possible.<br>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.<br>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.<br>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.<br>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
| Waste Code | : | 7051 |

| | | |
|---|---|---|
| European Waste Catalogue | : | 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances |
| Contaminated packaging | : | 15 01 10* packaging containing residues of or contaminated by dangerous substances |

## SECTION 14: Transport information

### 14.1 UN number or ID number

| | | |
|---|---|---|
| **ADR** | : | Not regulated as a dangerous good |
| **IMDG** | : | Not regulated as a dangerous good |
| **IATA** | : | Not regulated as a dangerous good |

### 14.2 UN proper shipping name

| | | |
|---|---|---|
| **ADR** | : | Not regulated as a dangerous good |
| **IMDG** | : | Not regulated as a dangerous good |
| **IATA** | : | Not regulated as a dangerous good |

### 14.3 Transport hazard class(es)

| | | |
|---|---|---|
| **ADR** | : | Not regulated as a dangerous good |
| **IMDG** | : | Not regulated as a dangerous good |
| **IATA** | : | Not regulated as a dangerous good |

### 14.4 Packing group

| | | |
|---|---|---|
| **ADR** | : | Not regulated as a dangerous good |
| **IMDG** | : | Not regulated as a dangerous good |
| **IATA (Cargo)** | : | Not regulated as a dangerous good |
| **IATA (Passenger)** | : | Not regulated as a dangerous good |

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

| | | |
|---|---|---|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries should be considered:<br>Number on list 3<br><br>Number on list 20: dibutyltin dilaurate<br><br>Number on list 40<br>This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.<br><br>Number on list 52: 1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich<br><br>Number on list 74:<br><br>4,4'-methylenediphenyl diisocyanate, m-tolylidene diisocyanate<br><br>Number on list 75 |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | None of the components are listed (=> 0.1 %). |
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : | Not applicable |
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : | Not applicable |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Volatile organic compounds : Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC)
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Not applicable

Product registration number:634039

**Other regulations:**

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

**Full text of H-Statements**

| | | |
|---|---|---|
| H315 | : | Causes skin irritation. |
| H317 | : | May cause an allergic skin reaction. |
| H319 | : | Causes serious eye irritation. |
| H330 | : | Fatal if inhaled. |
| H332 | : | Harmful if inhaled. |
| H334 | : | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | : | May cause respiratory irritation. |
| H351 | : | Suspected of causing cancer. |
| H361f | : | Suspected of damaging fertility. |
| H373 | : | May cause damage to organs through prolonged or repeated exposure. |
| H400 | : | Very toxic to aquatic life. |
| H410 | : | Very toxic to aquatic life with long lasting effects. |
| H412 | : | Harmful to aquatic life with long lasting effects. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| Acute Tox. | : | Acute toxicity |
| Aquatic Acute | : | Short-term (acute) aquatic hazard |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Carc. | : | Carcinogenicity |
| Eye Irrit. | : | Eye irritation |
| Repr. | : | Reproductive toxicity |
| Resp. Sens. | : | Respiratory sensitisation |

| | | |
|---|---|---|
| Skin Irrit. | : | Skin irritation |
| Skin Sens. | : | Skin sensitisation |
| STOT RE | : | Specific target organ toxicity - repeated exposure |
| STOT SE | : | Specific target organ toxicity - single exposure |
| 98/24/EC I | : | Europe. Chemical Agents Directive - Annex I: Binding occupational exposure limit values |
| FOR-2011-12-06-1358 | : | Norway. Occupational Exposure limits |
| 98/24/EC I / STEL | : | Limit values Short-term |
| 98/24/EC I / TWA | : | Limit values 8 hours |
| FOR-2011-12-06-1358 / TWA | : | Long term exposure limit |
| FOR-2011-12-06-1358 / STEL | : | Short term exposure limit |
| ADR | : | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| CAS | : | Chemical Abstracts Service |
| DNEL | : | Derived no-effect level |
| EC50 | : | Half maximal effective concentration |
| GHS | : | Globally Harmonized System |
| IATA | : | International Air Transport Association |
| IMDG | : | International Maritime Code for Dangerous Goods |
| LD50 | : | Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50 | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) |
| MARPOL | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 |
| OEL | : | Occupational Exposure Limit |
| PBT | : | Persistent, bioaccumulative and toxic |
| PNEC | : | Predicted no effect concentration |
| REACH | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC | : | Substances of Very High Concern |
| vPvB | : | Very persistent and very bioaccumulative |

**Further information**

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Skin Sens. 1 | H317 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN