

Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaEmaco[®] T 1200 PG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco® T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1		Print Date 03.03.2025
	H318 H335	Causes serious eye damage May cause respiratory irritation	
Precautionary statements	Preventi	on:	
·	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly af Wear protective gloves/ protection.	•
	Respons	Se:	
	P304 + F	P340 + P312 IF INHALED: Ren air and keep comfortable POISON CENTER/ doct	e for breathing. Call a
	P305 + F	P351 + P338 + P310 IF IN EYE with water for several m tact lenses, if present ar tinue rinsing. Immediate CENTER/ doctor.	nd easy to do. Con-
	P333 + F		ccurs: Get medical

Hazardous components which must be listed on the label:

Cement, portland, chemicals Calcium Sulfoaluminate cement

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

CAS-No.

65997-15-1 266-043-4

960375-09-1

Not Assigned

Registration number

EC-No.

SikaEmaco[®] T 1200 PG

Revision Date: 03.03.2025 Date of last issue: 27.08.2024

3.2 Mixtures

Components Chemical name Version 1.1

Print Date 03.03.2025

Classification

Skin Irrit. 2; H315

Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335

Skin Irrit. 2; H315

Eve Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335

Concentration

(% w/w)

>= 25 - < 40

>= 10 - < 20

>= 5 - < 10

(Respiratory system) Substances with a workplace exposure limit : Quartz (SiO2) 14808-60-7 238-878-4 For explanation of abbreviations see section 16.

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

Cement, portland, chemicals

Calcium Sulfoaluminate cement

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
	irritant effects sensitising effects
-	ediate medical attention and special treatment needed
Treatment	: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	substance or mixture
Hazardous combustion prod-	:	No hazardous combustion products are known

ucts

5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.

SikaEmaco® T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.2025
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanita	ary sewer system.
6.3 Methods and material for c	ontainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without cr Keep in suitable, closed containers for o	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TWA (respirable	0,05 mg/m3	FOR-2011-12-
		dust)	(Silica)	06-1358
	Further information: Substances considered to be carcinogenic			
		TWA (total dust)	0,3 mg/m3	FOR-2011-12-
			(Silica)	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
respirable dust		TWA	5 mg/m3	FOR-2011-12-06- 1358
total dust		TWA	10 mg/m3	FOR-2011-12-06- 1358

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P

SikaEmaco[®] T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
----------------	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properties
Physical state Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable.
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1200 PG

_



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.2025
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1.400 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and rea	ctivity	
10.1 Reactivity No dangerous reaction known	under conditions of normal use.	

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Tiazaruous reactions . No fiazarus to be specially mentio	Hazardous reactions	:	No hazards to be specially mentioned
---	---------------------	---	--------------------------------------

:

10.4 Conditions to avoid

lo data available
•

10.5 Incompatible materials

10.6 Hazardous decomposition products

SikaEmaco[®] T 1200 PG

Revision Date: 03.03.2025 Date of last issue: 27.08.2024

No hazardous decomposition products are known.

Version 1.1

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 03.03.2025

SikaEmaco[®] T 1200 PG

Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental



SikaEmaco[®] T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1 P	Print Date 03.03.2025
	protection and waste disposal legislation and any re- local authority requirements. Avoid dispersal of spilled material and runoff and co soil, waterways, drains and sewers.	-
Waste Code	: 7091	
SECTION 14: Transport in	mation	
14.1 UN number or ID numbe		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping nam		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class(
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a danger	s good	
14.6 Special precautions for Not applicable	∋r	
14.7 Maritime transport in bu Not applicable for product	according to IMO instruments supplied.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SikaEmaco[®] T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version	1.1	Print Date 03.03	3.2025
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re- - exempted from the re-	strea d/or egula	am suppliers, and/or ation, and/or	
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		ment	t and of the Council on the control of ma-	
Volatile organic compounds :	Law on the incentive (VOCV) no VOC duties	tax fo	or volatile organic compounds	
			4 November 2010 on industrial and is (integrated pollution prevention	

Product registration number : 668339



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits			
FOR-2011-12-06-1358 /	:				
TWA		.			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			

SikaEmaco[®] T 1200 PG



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.2025
vPvB	: Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN