

Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikalastic[®] M 686 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)


Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

tinue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane

Additional Labelling

EUH208 Contains maleic anhydride. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
[3-(2,3- epoxypro- poxy)propyl]trimethoxysilane Contains: methanol <= 0,2 %	2530-83-8 219-784-2 01-2119513212-58- XXXX	Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikalastic[®] M 686 Part A

Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1	.1	Print Date 03.03.2025
maleic anhydride	108-31-6 203-571-6 01-2119472428-31- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1A; H317 STOT RE 1; H372 (Inhalation, Respira- tory system) EUH071 	< 0,001

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms an	nd e	effects, both acute and delayed
	Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®] M 686 Part A



Revision Date: 03.03.2025 Date of last issue: 27.08.2024		Version 1.1	Print Date 03.03.202	
Risks	:	irritant effects		
		Causes serious eye damage.		
4.3 Indication of any immediate	me	dical attention and special treatment needed	d	
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting meas	sur	es		
5.1 Extinguishing media				
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.		
5.2 Special hazards arising from	the	e substance or mixture		
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n	
5.3 Advice for firefighters				
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.	
Further information	:	Standard procedure for chemical fires.		
SECTION 6: Accidental releas	se i	neasures		
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures		
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions				
Environmental precautions	:	Try to prevent the material from entering drain courses. No special environmental precautions require		

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	5	
Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
maleic anhydride	108-31-6	TWA	0,2 ppm 0,8 mg/m3	FOR-2011-12- 06-1358
	when coming i	ation: Substances c nto touch with the e ng into contact with	yes or airways or	



Revision Date: 03.03.2025 Date of last issue: 27.08.2024

Sikalastic[®] M 686 Part A

Version 1.1

Print Date 03.03.2025

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
		nation: Indicative, Ide hrough the skin	entifies the possib	ility of signifi-
		TŴA	100 ppm 130 mg/m3	FOR-2011-12- 06-1358
		nation: The EU has s ark for this substance gh the skin.		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	 Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.2025
	ticular to the mixing / stirring area. In ca to keep the concentrations under the o limits then respiration protection measu	ccupational exposure
Environmental exposure of	controls	
General advice	: Try to prevent the material from enterir courses.	ng drains or water

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid viscous grey		
Odour	:	musty		
Melting point/ range / Freez- ing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				
Upper explosion limit / Up- per flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	> 100 °C Method: closed cup		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
рН	:	Not applicable substance/mixture is non-soluble (in water)		

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®] M 686 Part A



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.202
Viscosity, dynamic	: ca. 9.000 mPa.s (20 °C)	
Viscosity, kinematic	: No data available	
Solubility(ies) Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 6,65 hPa	
Density	: ca. 1,43 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Hazardous decomposition products	:	methanol	
Country NO 1000005391/			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®] M 686 Part A



Version 1.1

Print Date 03.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Acute oral toxicity	:	LD50 Oral (Rat): 7.010 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.248 mg/kg

maleic anhydride:

Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
---------------------------	---	---

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Sikalastic® M 686 Part A



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Toxicity to fish

: LC50 (Cyprinus carpio (Carp)): 55 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikalastic[®] M 686 Part A



Version 1.1 Print Date 03.03.2025 Revision Date: 03.03.2025 Date of last issue: 27.08.2024

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

2

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
Country NO 10000053914		

14.1 UN number or ID number

Sikalastic[®] M 686 Part A



Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.202
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Cargo) IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards	. Not regulated as a dangerous good	
Not regulated as a dangerou	good	
14.6 Special precautions for us Not applicable	r	
14.7 Maritime transport in bulk	according to IMO instruments	
Not applicable for product as	supplied.	
SECTION 15: Regulatory info	rmation	
15.1 Safety, health and environ International Chemical Weap	nental regulations/legislation specific for	
Schedules of Toxic Chemica	s and Precursors	
REACH Information:	All substances contained in our Produc - registered by our upstream suppliers, - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.	
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances, lowing entrie	of restriction for the fol- es should be considered: list 3
		list 52: 1,2- arboxylic acid, di-C8-10- lkyl esters, C9-rich
	Number on	list 75
REACH - Candidate List of S Concern for Authorisation (A		components are listed
REACH - List of substances (Annex XIV)	subject to authorisation : Not applicat	ble
Regulation (EU) No 2024/59 plete the ozone layer	on substances that de- : Not applicat	ble
Regulation (EU) 2019/1021 (n persistent organic pollu- : Not applicat	ble



Sikalastic[®] M 686 Part A

Revision Date: 03.03.2025 Date of last issue: 27.08.2024	Version 1.1	Print Date 03.03.2025
tants (recast)		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		le
Seveso III: Directive 2012/18/E jor-accident hazards involving o	U of the European Parliament and of the Co dangerous substances. Not applicable	ouncil on the control of ma-
Volatile organic compounds	 Law on the incentive tax for volatile orga (VOCV) Volatile organic compounds (VOC) cont no VOC duties Directive 2010/75/EU of 24 November 2 	tent: 0,65% w/w
	livestock rearing emissions (integrated p and control) Volatile organic compounds (VOC) cont	pollution prevention
Product registration number	: 668344	

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H314	:	Causes severe skin burns and eye damage.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.		
H372	:	Causes damage to organs through prolonged or repeated exposure.		
H412	:	Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic® M 686 Part A



Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

Aquatic Chronic Eye Dam. Resp. Sens. Skin Corr. Skin Sens. STOT RE 2006/15/EC FOR-2011-12-06-1358 2006/15/EC / TWA FOR-2011-12-06-1358 / TWA		Long-term (chronic) aquatic hazard Serious eye damage Respiratory sensitisation Skin corrosion Skin sensitisation Specific target organ toxicity - repeated exposure Europe. Indicative occupational exposure limit values Norway. Occupational Exposure limits Limit Value - eight hours Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixt	Classification procedure:	
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Sikalastic[®] M 686 Part A

Revision Date: 03.03.2025 Date of last issue: 27.08.2024 Version 1.1

Print Date 03.03.2025

NO / EN

