Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Icoment[®]-520 mortar Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol, 1,2benzisothiazol-3(2H)-one (BIT), 2-methyl-1,2-benzothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Icoment®-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2,2',2"-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol, 4719-04-4, 2-methyl-1,2-benzothiazol-3(2H)-one, 2527-66-4. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
Distillates (petroleum), hy-	64742-53-6	Asp. Tox. 1; H304	>= 1 - < 2,5
drotreated light naphthenic;	265-156-6	-	
Baseoil — unspecified	01-2119480375-34-		
·	XXXX		
2,2',2"-(hexahydro-1,3,5- triazine-	4719-04-4	Acute Tox. 4; H302	< 0,1
1,3,5-triyl)triethanol	225-208-0	Acute Tox. 2; H330	
	01-2119529226-41-	Skin Sens. 1; H317	
	XXXX	STOT RE 1; H372	
		Eye Irrit. 2; H319	
		specific concentration	
		limit	
		Skin Sens. 1; H317	
		>= 0,1 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878




Icoment®-520 mortar Part A

Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
(BIT)	2034-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4, H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,023 - < 0,05
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Version 7.1



Print Date 03.03.2025

2-methyl-1,2-benzothiazol-3(2H)- one	2527-66-4 Not Assigned	Acute Tox. 3; H301 Acute Tox. 4; H312 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH071 M-Factor (Acute aquatic toxicity): 1 M-Factor (Acute aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 175 mg/kg Acute dermal toxicity: 1.100 mg/kg	>= 0,0002 - < 0,0015
Substances with a workplace expo		1	
Fumes, silica	69012-64-2 273-761-1 01-2119486866-17-		>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	No hazards which require special first aid	measures.
If inhaled	Move to fresh air.	
In case of skin contact	Take off contaminated clothing and shoes Wash off with soap and plenty of water.	s immediately.
In case of eye contact	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	Do not induce vomiting without medical a	dvice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



evision Date: 03.03.2025 ate of last issue: 02.12.2024		Version 7.1	Print Date 03.03.202
		Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	scious person.
1.2 Most important symptoms an	d e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	No known significant effects or hazards.	
1.3 Indication of any immediate r	ne	dical attention and special treatment need	led
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	own
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	i e	neasures	
5.1 Personal precautions, protec Personal precautions	tiv	e equipment and emergency procedures For personal protection see section 8.	
	•		
5.2 Environmental precautions Environmental precautions	_		
Environmental precautions	÷.	No special environmental precautions requ	ired.

Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).
	Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment®-520 mortar Part A



Print Date 03.03.2025

Revision Date: 03.03.2025Version 7.1Date of last issue: 02.12.2024Version 7.1

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	g	
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Fumes, silica	69012-64-2	TWA (respirable dust)	1,5 mg/m3 (Silica)	FOR-2011-12- 06-1358
Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified	64742-53-6	TWÁ (Vapour)	50 mg/m3	FOR-2011-12- 06-1358
		TWA (Mist and particles)	1 mg/m3	FOR-2011-12- 06-1358
		TWA	50 ppm 275 mg/m3	FOR-2011-12- 06-1358

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment®-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmer	nt			
Eye/face protection	:	Safety glasses		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		
Environmental exposure controls				
General advice	:	No special environmental precautions required.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour		liquid grey
Odour	:	slight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 7.1	Print Date 03.03.2025
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: ca. 9 (20 °C)	
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,08 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 7.1	Print Date 03.03.2025
9.2 Other information		
No data available		
SECTION 10: Stability and reactive	vity	
10.1 Reactivity		
No dangerous reaction known und	der conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable.		
10.3 Possibility of hazardous reaction	ons	
Hazardous reactions :	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid :	No data available	
10.5 Incompatible materials		
Materials to avoid :	No data available	
10.6 Hazardous decomposition prod	lucts	
:	No hazardous decomposition products are know	wn.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2,2',2"-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol:

Acute inhalation toxicity	:	LC50 (Rat): 0,37 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	: Acute toxicity estimate: 450 mg/kg
-	Method: Acute toxicity estimate according to Regulation (EC)
	No. 1272/2008

LD50 Oral (Rat): 450 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024		Version 7.1	Print Date 03.03.2025
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to No. 1272/2008	Regulation (EC)
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
2-methyl-1,2-benzothiazol-3	6(2H)-one:	
Acute oral toxicity	:	Acute toxicity estimate: 175 mg/kg Method: Acute toxicity estimate according to No. 1272/2008	Regulation (EC)
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory trac	xt.
Acute dermal toxicity	:	Acute toxicity estimate: 1.100 mg/kg Method: Acute toxicity estimate according to No. 1272/2008	Regulation (EC)
Skin corrosion/irritation Not classified due to lack of d	ata		
Serious eye damage/eye irr Not classified due to lack of d			
Respiratory or skin sensitis	atio	on	
Skin sensitisation Not classified due to lack of d	ata.		
Respiratory sensitisation Not classified due to lack of d	ata.		
Components:			
1,2-benzisothiazol-3(2H)-on Assessment	e (E :	BIT): May cause sensitisation by skin contact.	
Germ cell mutagenicity Not classified due to lack of d	ata		
Carcinogenicity Not classified due to lack of d	ata		
Reproductive toxicity Not classified due to lack of d	ata		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

	1,2-benzisothiazol-3(2H)-one	e (B	IT):
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	2-methyl-1,2-benzothiazol-3	(2H)-one:
	M-Factor (Acute aquatic tox- icity)	:	1
12.2	2 Persistence and degradabili	ty	
	No data available		
40.5	Discontinut and a material		

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Icoment®-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 12 waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment®-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 7.1	Print Date 03.03.2025
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
IATA	Not regulated as a dangerous good	
14.2 UN proper shipping name		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.4 Packing group		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
IATA (Cargo)	Not regulated as a dangerous good	
IATA (Passenger)	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerous g	bod	
14.6 Special precautions for user Not applicable		
14.7 Maritime transport in bulk ac Not applicable for product as su		
SECTION 15: Regulatory inform	nation	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Banned and/or restricted the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A



Revision Date: 03.03.2025 Date of last issue: 02.12.2024	Version 7	.1	Print Date 03.03.2025
			Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU (jor-accident hazards involving dar		ient	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w
	livestock rearing emiss and control)	ion	4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Icoment[®]-520 mortar Part A

Jika®

evision Date: 03.03.2025 ate of last issue: 02.12.2024		Version 7.1	Print Date 03.03.202		
H304	:	May be fatal if swallowed and enters airw	vays.		
H312	:	Harmful in contact with skin.			
H314	:	Causes severe skin burns and eye dama	ige.		
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H319		Causes serious eye irritation.			
H330	:	Fatal if inhaled.			
H372	:	Causes damage to organs through prolo	ngod or repeated		
11372	·	exposure.	liged of repeated		
H400					
H400	•	Very toxic to aquatic life.	aff a sta		
H410	:	Very toxic to aquatic life with long lasting			
H411	:	Toxic to aquatic life with long lasting effe	cts.		
Full text of other abbreviat	ions				
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Asp. Tox.	:	Aspiration hazard			
Eye Dam.	:	Serious eye damage			
Eye Irrit.		Eye irritation			
Skin Corr.	:	Skin corrosion			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:				
	•	Skin sensitisation			
STOT RE	:	Specific target organ toxicity - repeated e	exposure		
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits			
FOR-2011-12-06-1358 /	:	Long term exposure limit			
TWA ADR		Europeon Agreement concerning the Inte	arnational Carriago of		
ADR	·	European Agreement concerning the Inte	ernational Carnage of		
		Dangerous Goods by Road			
CAS		Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerou	us Goods		
LD50	:	Median lethal dosis (the amount of a mat			
		once, which causes the death of 50% (or			
		test animals)	ie riail) et a group et		
LC50		Median lethal concentration (concentratio	ons of the chemical in		
L030	·	air that kills 50% of the test animals durin			
		period)	ig the observation		
MARPOL		International Convention for the Prevention	on of Pollution from		
	•	Ships, 1973 as modified by the Protocol			
			01 1370		
OEL	•	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the Eu			
		and of the Council of 18 December 2006			
		istration, Evaluation, Authorisation and R	estriction of Chemi-		
		cals (REACH), establishing a European (
SVHC	:	Substances of Very High Concern			
	-	Very persistent and very bioaccumulative			



Revision Date: 03.03.2025 Date of last issue: 02.12.2024 Version 7.1

Print Date 03.03.2025

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN