

Revision Date: 30.04.2024 Date of last issue: - Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikagard<sup>®</sup> P 770 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Primer

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Giftinformasjonen: 22 59 13 00

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Print Date 30.04.2024

Revision Date: 30.04.2024	
Date of last issue: -	

Version 1.0

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	:	<b>Prevention:</b> P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P34	0 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P31	•

#### Hazardous components which must be listed on the label:

methylenediphenyl diisocyanate

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 30.04.2024 Date of last issue: -



Version 1.0

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
methylenediphenyl diisocyanate	26447-40-5 905-806-4 01-2119457015-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 	>=80

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled : Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. : Wash off with soap and plenty of water. If symptoms persist, call a physician. Immediately flush eye(s) with plenty of water. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Country NO 10000052273



Revision Date: 30.04.2024 Date of last issue: -	Version 1.0	Print Date 30.04.
If swallowed	<ul> <li>Do not induce vomiting without medica Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages</li> <li>Never give anything by mouth to an un</li> </ul>	S.
4.2 Most important symptoms and	d effects, both acute and delayed	
Symptoms	<ul> <li>Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed inforr and symptoms.</li> </ul>	nation on health effects
Risks	<ul> <li>Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptom ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through exposure.</li> </ul>	
	irritant effects sensitising effects	
4.3 Indication of any immediate r	adical attention and special treatment (	aadad
Treatment	<ul><li>nedical attention and special treatment r</li><li>Treat symptomatically.</li></ul>	leeueu
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/wide/sand/foam/alcohol resistant foam/c extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are	ə known
5.3 Advice for firefighters		

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Revision Date: 30.04.2024 Date of last issue: -		Version 1.0	Print Date 30.04.202
for firefighters			
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	measures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for con	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-
6.4 Reference to other sections			

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not



Revision Date: 30.04.2024 Date of last issue: -

smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	÷	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any

# SECTION 8: Exposure controls/personal protection

use.

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methylenediphenyl diisocyanate	26447-40-5	TWA	0,005 ppm	FOR-2011-12- 06-1358
	when coming	ation: Substances of into touch with the end of the second	eyes or airways or	
		STEL	0,01 ppm	FOR-2011-12- 06-1358

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.			
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed.			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sikagard<sup>®</sup> P 770 Part B



vision Date: 30.04.2024 te of last issue: -	Version 1.0	Print Date 30.04.202
	Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	: Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long trou and protective boots are additionaly rec and stirring work.	users). Rubber aprons
Respiratory protection	<ul> <li>In case of inadequate ventilation wear in Respirator selection must be based on exposure levels, the hazards of the proving limits of the selected respirator. Use a properly fitted NIOSH approved a respirator complying with an approved a sessment indicates this is necessary. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: </li> <li>Ensure adequate ventilation. This can be exhaust extraction or by general ventilation determining inhalation exposure ticular to the mixing / stirring area. In case to keep the concentrations under the or limits then respiration protection measure adequate ventilation, especially</li> </ul>	known or anticipated duct and the safe work- air-purifying or air-fed standard if a risk as- < 10000 ppm be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure ures must be used.
Environmental exposure co	ntrols	
Concreteduine	. De net fluch inte curfe ee uneter er eenit	

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

in en baele phyereal	~	a enemieai prepera
Physical state Appearance Colour	:	liquid viscous light brown
Odour	:	aliphatic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Print Date 30.04.2024

Revision Date: 30.04.2024 Date of last issue: - Version 1.0

Upper/lower flammability or explosive limits				
Upper explosion limit / Up- per flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	No data available		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
рН	:	Not applicable substance/mixture is non-soluble (in water)		
Viscosity				
Viscosity, dynamic	:	ca. 125 mPa.s (20 °C)		
Viscosity, kinematic	:	No data available		
Solubility(ies)				
Water solubility	:	No data available		
Partition coefficient: n- octanol/water	:	No data available		
Vapour pressure	:	0,01 hPa		
Density	:	ca. 1,17 g/cm3 (20 °C)		
Relative vapour density	:	No data available		
Particle characteristics	:	No data available		

### 9.2 Other information

No data available

Revision Date: 30.04.2024 Date of last issue: - Version 1.0

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if inhaled.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Suspected of causing cancer.

#### Reproductive toxicity

Not classified due to lack of data.

Revision Date: 30.04.2024 Date of last issue: - Version 1.0



### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 30.04.2024

Revision Date: 30.04.2024 Date of last issue: - Version 1.0

### 12.7 Other adverse effects

### Product:

Additional ecological infor- : There is no data available for this product. mation

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional</li> </ul>
	local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste Code	: 7121

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		



Revision Date: 30.04.2024 Date of last issue: - Version 1.0

IMDG	: Not regulated as a d	ande	rous good			
IATA (Cargo)	Not regulated as a dangerous good					
IATA (Passenger)	: Not regulated as a d	: Not regulated as a dangerous good				
14.5 Environmental hazards Not regulated as a dangerou	s good	-	-			
14.6 Special precautions for use Not applicable	er					
<b>14.7 Maritime transport in bulk</b> Not applicable for product as	-	nents	5			
SECTION 15: Regulatory info	ormation					
<b>15.1 Safety, health and environ</b> International Chemical Weap Schedules of Toxic Chemica	ons Convention (CWC)	ation :	specific for the substance or mixture Not applicable			
REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.						
REACH - Restrictions on the the market and use of certair mixtures and articles (Annex	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
			methylenediphenyl diisocyanate (Number on list 74, 56)			
Regulation (EU) No 649/2012 ment and the Council concer of dangerous chemicals		:	Not applicable			
REACH - Candidate List of S Concern for Authorisation (A		:	None of the components are listed (=> 0.1 %).			
REACH - List of substances (Annex XIV)	subject to authorisation	:	Not applicable			
Regulation (EC) No 1005/200 plete the ozone layer	09 on substances that de-	:	Not applicable			

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Sikagard<sup>®</sup> P 770 Part B

Print Date 30.04.2024

Revision Date: 30.04.2024 Date of last issue: - Version 1.0

Regulation (EU) 2019/1021 o	on persistent organic pollu-	:	Not applicable
tants (recast)			

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Not applicable

#### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315 H317 H319 H332 H334 H335 H351 H373	<ul> <li>Causes skin irritation.</li> <li>May cause an allergic skin reaction.</li> <li>Causes serious eye irritation.</li> <li>Harmful if inhaled.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>May cause respiratory irritation.</li> <li>Suspected of causing cancer.</li> <li>May cause damage to organs through prolonged or repeated</li> </ul>			
	exposure.			
Full text of other abbreviations				
Acute Tox. Carc. Eye Irrit. Resp. Sens.	<ul> <li>Acute toxicity</li> <li>Carcinogenicity</li> <li>Eye irritation</li> <li>Respiratory sensitisation</li> </ul>			

Revision Date: 30.04.2024 Date of last issue: - Version 1.0



Skin Irrit.	:	Skin irritation
Skin Sens.		Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits
FOR-2011-12-06-1358 /	:	Long term exposure limit
TWA		
FOR-2011-12-06-1358 /	:	Short term exposure limit
STEL		
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of test animals)
LC50		Median lethal concentration (concentrations of the chemical in
2000	•	air that kills 50% of the test animals during the observation
		period)
MARPOL		International Convention for the Prevention of Pollution from
	•	Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
REACH	•	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	
VEVD	÷	Very persistent and very bioaccumulative

#### Further information

Classification of the mixture:				
332	Calculation method			
315	Calculation method			
319	Calculation method			
334	Calculation method			
317	Calculation method			
351	Calculation method			
335	Calculation method			
373	Calculation method			
	315 319 334 317 351 335			

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sikagard<sup>®</sup> P 770 Part B



Revision Date: 30.04.2024 Date of last issue: - Version 1.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN