

Version 2.3

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikasil[®] SG-500 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Catalyst for 2 Comp. sealants/adhesives.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L W	
Signal word	:	Danger	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024	Version 2.3		Print Date 03.03.2025
		Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing mist or vapours Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	idling.
	Response:		
	P304 + P340	+ P312 IF INHALED: Remove pe air and keep comfortable for br POISON CENTER/ doctor if yo	eathing. Call a
	P305 + P351	+ P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical

Hazardous components which must be listed on the label:

tetraethyl silicate N-[3-(triethoxysilyl)propyl]ethylenediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikasil[®] SG-500 Part B

Revision Date: 03.03.2025 Date of last issue: 01.03.2024 Version 2.3

Print Date 03.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
tetraethyl silicate	78-10-4 201-083-8 01-2119496195-28- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335	>= 20 - < 25
N-[3- (triethoxysi- lyl)propyl]ethylenediamine Contains: N,N'-bis[3- (triethoxysi- lyl)propyl]ethylenediamine >= 3 - <= 5 % N1,N1-Bis[3-(triethoxysilyl)propyl]- 1,2-ethanediamine >= 3 - <= 5 % di- aminoethylaminopropyltetraethox- ydisiloxane >= 3 - <= 5 %	5089-72-5 225-806-1 01-2120767929-30- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 10 - < 20
trimethoxyoctylsilane Contains: methanol <= 0,2 %	3069-40-7 221-338-7 01-2119948401-42- XXXX	Skin Irrit. 2; H315	>= 5 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Version 2.3 Print Date 03.03.2025 Date of last issue: 01.03.2024 Silicic acid (H4SiO4), tetraethyl 93925-42-9 Flam. Liq. 3; H226 >= 0,25 - < 0,3 ester, reaction products with 300-344-4 Acute Tox. 4; H302 bis(acetyloxy)dibutylstannane 01-2119560586-30-Acute Tox. 4; H332 XXXX Eye Dam. 1; H318 Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 3; H412 specific concentration limit Repr. 1B; H360FD >= 0,6 % specific concentration limit Muta. 2; H341 >= 2 % specific concentration limit STOT SE 1; H370 >= 20 % specific concentration limit STOT SE 2; H371 >= 2 % specific concentration limit STOT RE 1; H372 >= 20 % specific concentration limit STOT RE 2; H373 >= 2 % Acute toxicity estimate Acute oral toxicity: 1.000 mg/kg



Version 2.3

Print Date 03.03.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures					
General advice		Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms ar	nd e	effects, both acute and delayed			
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.			
Risks	:	irritant effects sensitising effects			
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.			

Sikasil[®] SG-500 Part B

_



Revision Date: 03.03.2025 Date of last issue: 01.03.2024	Version 2.3	Print Date 03.03.2025
4.3 Indication of any immediate me	dical attention and special treatment needed	
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from th	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are known	
5.3 Advice for firefighters		
-	In the event of fire, wear self-contained breathin	g apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures	
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary sewe	r system.
6.3 Methods and material for conta	inment and cleaning up	
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	-
6.4 Reference to other sections		
For personal protection see sect	ion 8.	
SECTION 7: Handling and stora	ge	
7.1 Precautions for safe handling		
Advice on safe handling :	Avoid exceeding the given occupational exposu	re limits (see

section 8).

Do not get in eyes, on skin, or on clothing.

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Version 2.3 Print Date 03.03.2025 Date of last issue: 01.03.2024 For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. 1 fire and explosion Handle in accordance with good industrial hygiene and safety Hygiene measures 1 practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
tetraethyl silicate	78-10-4	TWA	5 ppm 44 mg/m3	2017/164/EU
	Further infor	mation: Indicative		
		TWA	5 ppm	FOR-2011-12-
			44 mg/m3	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
ethanol	64-17-5	TWA	500 ppm	FOR-2011-12-
			950 mg/m3	06-1358
methanol	67-56-1	TWA	200 ppm	2006/15/EC

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikasil[®] SG-500 Part B

Revision Date: 03.03.2025 Date of last issue: 01.03.2024 Version 2.3

Print Date 03.03.2025

		260 mg/m3	
Further inform cant uptake th		dentifies the poss	ibility of signifi-
	TŴA	100 ppm 130 mg/m3	FOR-2011-12- 06-1358
	rk for this substan	s set an indicative ce, Chemicals that	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.			
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikasil® SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024 Version 2.3

Print Date 03.03.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid paste black
Odour	:	very faint
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	əxp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8 - 10 Concentration: 100 %
Viscosity		250 000 mBa a (20

Viscosity, dynamic	:	ca. 250.000 mPa.s (20 °C)

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility	:	insoluble
------------------	---	-----------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024	Version 2.3	Print Date 03.03.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,07 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information Flammable solids Burning rate	: > 120 s Method: UN-Test N1	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition : ethanol, methanol products



Version 2.3

Print Date 03.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane:

Acute oral toxicity

: LD50 Oral (Rat): 1.000 mg/kg

Acute toxicity estimate: 1.000 mg/kg Method: Calculation method

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties

1

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikasil® SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024 Version 2.3

Print Date 03.03.2025

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[3-(triethoxysilyl)propyl]ethylenediamine:

Toxicity to fish (Chronic tox-	:	LC50: 597 mg/l
icity)		Exposure time: 96 h
		Species: Danio rerio (zebra fish)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Version 2.3

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residu This material and its container must be disposed of in a sa way. Dispose of surplus and non-recyclable products via a licer waste disposal contractor. Disposal of this product, solutions and any by-products sh at all times comply with the requirements of environmenta protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact of soil, waterways, drains and sewers.	afe nsed iould I
Waste Code	7051	
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organ solvents or other dangerous substances	nic
Contaminated packaging	15 01 10* packaging containing residues of or contaminate by dangerous substances	ed

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
Country NO 00000223326		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] SG-500 Part B



evision Date: 03.03.2025 ate of last issue: 01.03.2024		Version	2.3		Print Date 03.03.20
IMDG	: 1	Not regulated as a da	nger	ous good	
IATA (Cargo)	: 1	Not regulated as a da	nger	ous good	
IATA (Passenger)	: 1	Not regulated as a dat	nger	ous good	
4.5 Environmental hazards Not regulated as a dangero	us good	1			
4.6 Special precautions for us Not applicable	ser				
4.7 Maritime transport in bulk Not applicable for product a		-	ents		
ECTION 15: Regulatory inf	ormat	ion			
5.1 Safety, health and enviror International Chemical Wea Schedules of Toxic Chemica	pons C	onvention (CWC)	tion :	specific for the sub Not applicable	stance or mixture
REACH Information:	-	All substances contair registered by our ups registered by us, and excluded from the re exempted from the re	strea d/or gula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the the market and use of certa mixtures and articles (Anne:	in dang		:	Conditions of restric lowing entries should Number on list 3	
				Number on list 75	
REACH - Candidate List of Concern for Authorisation (A			:	None of the compon (=> 0.1 %).	ents are listed
REACH - List of substances (Annex XIV)	s subjec	t to authorisation	:	Not applicable	
Regulation (EU) No 2024/59	90 on si	ubstances that de-	:	Not applicable	
plete the ozone layer					

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikasil® SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024	Version 2.3	Print Date 03.03.2025
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Ð
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar	of the European Parliament and of the Con ngerous substances. Not applicable	uncil on the control of ma-
Volatile organic compounds :	Law on the incentive tax for volatile organ (VOCV) Volatile organic compounds (VOC) conte no VOC duties	
	Directive 2010/75/EU of 24 November 20 livestock rearing emissions (integrated po and control) Volatile organic compounds (VOC) conte	ollution prevention
Product registration number :	308266	

Other regulations:

_

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226		Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H341	:	Suspected of causing genetic defects.
H360FD	:	May damage fertility. May damage the unborn child.
H370	:	Causes damage to organs.
H372	:	Causes damage to organs through prolonged or repeated
		exposure if swallowed.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024 Version 2.3

Print Date 03.03.2025

Acute Tox. Aquatic Chronic Eye Dam. Eye Irrit. Flam. Liq. Muta. Repr. Skin Irrit. Skin Sens. STOT RE STOT SE	Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Flammable liquids Germ cell mutagenicity Reproductive toxicity Skin irritation Skin sensitisation Specific target organ toxicity - repeated ex Specific target organ toxicity - single expo	sure
2006/15/EC 2017/164/EU	Europe. Indicative occupational exposure Europe. Commission Directive 2017/164/ fourth list of indicative occupational expos	EU establishing a
FOR-2011-12-06-1358 2006/15/EC / TWA 2017/164/EU / TWA FOR-2011-12-06-1358 / TWA	Norway. Occupational Exposure limits Limit Value - eight hours Limit Value - eight hours Long term exposure limit	
ADR	European Agreement concerning the Inte Dangerous Goods by Road	rnational Carriage of
CAS DNEL EC50 GHS IATA IMDG LD50	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerou Median lethal dosis (the amount of a mate once, which causes the death of 50% (on	erial, given all at
LC50	test animals) Median lethal concentration (concentratio air that kills 50% of the test animals during period)	
MARPOL	International Convention for the Preventic Ships, 1973 as modified by the Protocol of	
OEL PBT PNEC REACH	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Eur and of the Council of 18 December 2006 istration, Evaluation, Authorisation and Re cals (REACH), establishing a European C	opean Parliament concerning the Reg- estriction of Chemi-
SVHC vPvB	Substances of Very High Concern Very persistent and very bioaccumulative	

Further	information
i artifoi	mormation

Classification of the mixture:		Classification procedure:	
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	

Sikasil[®] SG-500 Part B



Revision Date: 03.03.2025 Date of last issue: 01.03.2024		Version 2.3	Print Date 03.03.2025
Skin Sens. 1	H317	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN