

Revision Date: 03.04.2025 Date of last issue: 03.03.2025 Version 9.0

Print Date 03.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur[®]-30 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/200)8)
Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025	Ň	Version 9.0	Print Date 03.04.2025
		auses serious eye irritation. armful to aquatic life with long last	ing effects.
Precautionary statements :	Prevention:		
	P261 P264 P273 P280	Avoid breathing mist or vapour Wash skin thoroughly after han Avoid release to the environme Wear protective gloves/ eye pro protection.	ndling. ent.
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P337 + P313	If eye irritation persists: Get me attention.	edical advice/

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1,4-bis(2,3 epoxypropoxy)butane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025 Version 9.0

Print Date 03.04.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 10 - < 20
1,4-bis(2,3 epoxypropoxy)butane	2425-79-8 219-371-7 01-2119494060-45- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 1B; H360F Acute toxicity esti- mate Acute oral toxicity: 1.163 mg/kg	>= 2,5 - < 5
Solvent naphtha (petroleum), heavy arom. Contains: naphthalene <= 1 %	Not Assigned 922-153-0 01-2119451097-39- XXXX	Asp. Tox. 1; H304	>= 1 - < 2,5

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025		Version 9.0	Print Date 03.04.2025
		Show this safety data sheet to the doctor in at	tendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imm Wash off with soap and plenty of water. If symptoms persist, call a physician.	nediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
4.2 Most important symptoms	and	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediat	te me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for
5.2 Special hazards arising from Hazardous combustion prod- ucts		extinction. • substance or mixture No hazardous combustion products are known

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025		Version 9.0	Print Date 03.04.2025
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	e	measures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	
6.3 Methods and material for con	tai	nment and cleaning up	
Methods for cleaning up	•	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety
n			E /

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikadur[®]-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025		Version 9.0	Print Date 03.04.2025
		practice. When using do not eat or drink. N smoke. Wash hands before breaks and at	0
7.2 Conditions for safe storage, i	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and place. Store in accordance with local regu	
Further information on stor- age stability	:	No decomposition if stored and applied as	directed.
7.3 Specific end use(s)			

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Solvent naphtha (petroleum), heavy	Not Assigned	TWA	25 ppm	FOR-2011-12-
arom.			120 mg/m3	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025	Version 9.0	Print Date 03.04.2025
	and stirring work.	
Respiratory protection :	 In case of inadequate ventilation wear respirator Respirator selection must be based on known of exposure levels, the hazards of the product and ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 Ensure adequate ventilation. This can be achieve exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This at ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must 	ppm ved by local N 689 - Meth- applies in par- s not sufficent nal exposure
Environmental exposure cont	rols	
General advice	: Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or or respective authorities.	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste white
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025		Version 9.0	Print Date 03.04.2025
		Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 7,5 Concentration: 500 g/l 50 %	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	< 0,009 hPa	
Density	:	ca. 2 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025	Ve	ersion 9.0	Print Date 03.04.2025
10.4 Conditions to avoid			
Conditions to avoid	: No data availa	ble	
10.5 Incompatible materials			
Materials to avoid	: No data availa	ble	
10.6 Hazardous decomposition	products		
	: No hazardous	decomposition produc	ts are known.
SECTION 11: Toxicological	nformation		
11.1 Information on hazard cla	ses as defined in Ro	egulation (EC) No 127	72/2008
Acute toxicity Not classified due to lack of	ata.		
Components:			
bis-[4-(2,3-epoxipropoxi)p	enyl]propane:		
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (F	Rabbit): > 5.000 mg/kg	
1,4-bis(2,3 epoxypropoxy)	utane:		
Acute oral toxicity	: LD50 Oral (Rat): 1.163 mg/kg	
Solvent naphtha (petroleu	n), heavy arom.:		
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute inhalation toxicity	Exposure time: Test atmospher	4 h re: dust/mist	e has no acute inhala-
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye in Causes serious eye irritation			
Respiratory or skin sensit	sation		
Skin sensitisation			

May cause an allergic skin reaction.

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025 Version 9.0

Print Date 03.04.2025

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

Solvent naphtha (petroleum), heavy arom .:

Toxicity to daphnia and other	:	EC50: 1,1 mg/l
aquatic invertebrates (Chron-		Exposure time: 48 h
ic toxicity)		Species: Daphnia magna (Water flea)

Sikadur®-30 Part A



Revision Date: 03.04.2025 Version 9.0 Print Date 03.04.2025 Date of last issue: 03.03.2025 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher... 12.6 Endocrine disrupting properties Product: Assessment The substance/mixture does not contain components consid-: ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-An environmental hazard cannot be excluded in the event of : unprofessional handling or disposal. mation Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should
	at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur[®]-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025	Version 9.0	Print Date 03.04.2025
Waste Code	: 7051	
European Waste Catalogue	: 08 04 09* waste adhesives and sealant solvents or other dangerous substances	
Contaminated packaging	: 15 01 10* packaging containing residues by dangerous substances	s of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user Not applicable				
14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance	or mixture
Country NO 00000019541	12 / 15

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025	Version 9	9.0		Print Date 03.04.2025
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or	
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	igerous substances,	:	Conditions of restricti lowing entries should Number on list 3	
			Number on list 75	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nent	t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) Volatile organic compo no VOC duties			
	Directive 2010/75/EU livestock rearing emiss and control) Volatile organic compo	sion	s (integrated pollution	prevention

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025 Version 9.0

Print Date 03.04.2025

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. : H315 Causes skin irritation. : May cause an allergic skin reaction. H317 H319 Causes serious eye irritation. Harmful if inhaled. H332 May damage fertility. H360F Toxic to aquatic life with long lasting effects. H411 Full text of other abbreviations Acute Tox. Acute toxicity Long-term (chronic) aquatic hazard Aquatic Chronic : Asp. Tox. Aspiration hazard : Eye Irrit. Eye irritation : Repr. Reproductive toxicity : Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation : FOR-2011-12-06-1358 Norway. Occupational Exposure limits : FOR-2011-12-06-1358 / Long term exposure limit : TWA ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS **Chemical Abstracts Service** : DNEL Derived no-effect level EC50 Half maximal effective concentration **Globally Harmonized System** GHS International Air Transport Association IATA : International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-30 Part A



Revision Date: 03.04.2025 Date of last issue: 03.03.2025		Version 9.0	Print Date 03.04.2025
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 cor istration, Evaluation, Authorisation and Restr cals (REACH), establishing a European Che	cerning the Reg- iction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	micais Agency

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN