

Revision Date: 11.04.2025 Date of last issue: 03.03.2025 Version 7.2

Print Date 11.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name : Sikacryl®-S+

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

#### 1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikacryl®-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025 Version 7.2

Print Date 11.04.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9, 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5. Please use treated articles responsibly.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Sikacryl®-S+

Revision Date: 11.04.2025 Date of last issue: 03.03.2025			Print Date 11.04.2025
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % specific concentration limit Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 1 - < 2,5

For explanation of abbreviations see section 16.



Revision Date: 11.04.2025 Date of last issue: 03.03.2025

**SECTION 4: First aid measures** 

Version 7.2

Print Date 11.04.2025

<b>4.1 Description of first aid me</b> General advice	asures : No hazards which require special first aid measures.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms		See Section 11 for more detailed information on health effects and symptoms.
Risks	:	No known significant effects or hazards.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : Treat symptomatically.

### **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus	
Further information	:	Standard procedure for chemical fires.	
Country NO 00000601671			4 /



Revision Date: 11.04.2025 Date of last issue: 03.03.2025 Version 7.2

Print Date 11.04.2025

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

#### 6.2 Environmental precautions

Environmental precautions : No s

: No special environmental precautions required.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	9	
	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Print Date 11.04.2025

Revision Date: 11.04.2025	Version 7.2
Date of last issue: 03.03.2025	

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA	5 mg/m3	FOR-2011-12- 06-1358

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		

#### **Environmental exposure controls**

General advice : No special environmental precautions required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid	
Country NO 00000601671			

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikacryl<sup>®</sup>-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025		Version 7.2	Print Date 11.04.2025
Appearance Colour	:	paste various	
Odour	:	very faint	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	100 °C	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	<b>.</b>	alaciva limita	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 100 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	8	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	1,69 g/cm3 (20 °C)	

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikacryl®-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025	Version 7.2	Print Date 11.04.2025
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and r	eactivity	
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
The product is chemically st	able.	
10.3 Possibility of hazardous r	eactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decompositior	products	
	: No hazardous decomposition products a	ire known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

\_

Not classified due to lack of data.

#### Components:

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 Oral (Rat): 450 mg/kg



Revision Date: 11.04.2025 Date of last issue: 03.03.2025	Version 7.2	Print Date 11.04.2025				
Acute inhalation toxicity :	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accordin No. 1272/2008	ng to Regulation (EC)				
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403					
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg					
reaction mass of 5-chloro-2-me	thyl-2H-isothiazol-3-one and 2-methyl-	2H-isothiazol-3-one (3:1):				
Acute inhalation toxicity :	Assessment: Corrosive to the respirator	y tract.				
Skin corrosion/irritation Not classified due to lack of data.						
Serious eye damage/eye irritation Not classified due to lack of data.	on					
Respiratory or skin sensitisation						
Skin sensitisation Not classified due to lack of data.						
<b>Respiratory sensitisation</b> Not classified due to lack of data.						
Components:						
<b>1,2-benzisothiazol-3(2H)-one (B</b> Assessment :	IT): May cause sensitisation by skin contact					
Germ cell mutagenicity Not classified due to lack of data.						
<b>Carcinogenicity</b> Not classified due to lack of data.						
<b>Reproductive toxicity</b> Not classified due to lack of data.						
<b>STOT - single exposure</b> Not classified due to lack of data.						
<b>STOT - repeated exposure</b> Not classified due to lack of data.						
<b>Aspiration toxicity</b> Not classified due to lack of data.						



Revision Date: 11.04.2025 Version 7.2 Date of last issue: 03.03.2025

Print Date 11.04.2025

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified due to lack of data.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2-		ethyl-2H-isothiazol-3-one and 2-meth

#### hyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox-100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



Revision Date: 11.04.2025	Version 7.2	Print Date 11.04.2025
Date of last issue: 03.03.2025		

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

A	
Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

### 12.7 Other adverse effects

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping name		
0.0000000000000000000000000000000000000		

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikacryl®-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025		Version 7.2	Print Date 11.04.2025
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a demonstration		مط	

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained - registered by our upstrea - registered by us, and/or - excluded from the regula - exempted from the regis	am suppliers, and/c	
REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	angerous substances,	Conditions of rest lowing entries sho Number on list 75	ould be considered:
REACH - Candidate List of Sub Concern for Authorisation (Artic	, ,	None of the comp (=> 0.1 %).	oonents are listed

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikacryl<sup>®</sup>-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025	Version 7.2		Print Date 11.04.2025
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive tax f (VOCV) no VOC duties	or volatile organic comp	oounds
	Directive 2010/75/EU of 2 livestock rearing emission and control) Not applicable		

#### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full	text	of	H-Statements
i un	ICAL	<b>U</b> 1	

H302	Ha	oxic if swallowed. armful if swallowed.
H314	Ca	atal in contact with skin. auses severe skin burns and eye damage.
		auses skin irritation. ay cause an allergic skin reaction.

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikacryl®-S+



Revision Date: 11.04.2025 Date of last issue: 03.03.2025	Version 7.2	Print Date 11.04.2025
H318 H330 H400 H410	Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects	
Full text of other abbreviation	S	
Acute Tox. : Aquatic Acute : Aquatic Chronic : Eye Dam. : Skin Corr. : Skin Irrit. : Skin Sens. :	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation	
FOR-2011-12-06-1358 : FOR-2011-12-06-1358 / : TWA	Norway. Occupational Exposure limits Long term exposure limit	
ADR :	European Agreement concerning the Internatior Dangerous Goods by Road	al Carriage of
CAS : DNEL : EC50 : GHS : IATA : IMDG : LD50 :	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Good Median lethal dosis (the amount of a material, gi	iven all at
LC50 :	once, which causes the death of 50% (one half) test animals) Median lethal concentration (concentrations of the air that kills 50% of the test animals during the o	he chemical in
MARPOL :	period) International Convention for the Prevention of Po Ships, 1973 as modified by the Protocol of 1978	
OEL : PBT : PNEC : REACH :	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemic	Parliament ning the Reg- on of Chemi-
SVHC : vPvB :	Substances of Very High Concern Very persistent and very bioaccumulative	

#### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikacryl<sup>®</sup>-S+

Revision Date: 11.04.2025 Date of last issue: 03.03.2025 Version 7.2

NO / EN



Print Date 11.04.2025