

Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup>-220 W Conductive Part A

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

## 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

## 1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H318 Causes serious eye damage.
Precautionary statements	:	Prevention:P280Wear eye protection/ face protection.
		Response:
		P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con-





Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

tinue rinsing. Immediately call a POISON CENTER/ doctor.

## Hazardous components which must be listed on the label:

Epoxy resin/polyamine adduct

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

oomponento			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Epoxy resin/polyamine adduct	238080-05-2	Acute Tox. 4; H302	>= 5 - < 10
	Not Assigned	Eye Dam. 1; H318	
	Ŭ		
Substances with a workplace expos	sure limit :		
(2-methoxymethylethoxy)propanol	34590-94-8		>= 1 - < 2,5
	252-104-2		
	01-2119450011-60-		
	XXXX		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.



Revision Date: 03.03.2025 Date of last issue: 06.06.2024	Version 3.2	Print Date 03.03.2025
In case of skin contact :	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact :	Small amounts splashed into eyes can cause in sue damage and blindness. In the case of contact with eyes, rinse immediat of water and seek medical advice. Continue rinsing eyes during transport to hospit Remove contact lenses. Keep eye wide open while rinsing.	tely with plenty
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	ıs person.
4.2 Most important symptoms and	effects, both acute and delaved	
Symptoms :	Excessive lachrymation See Section 11 for more detailed information or and symptoms.	health effects
Risks :	irritant effects	
	Causes serious eye damage.	
4.3 Indication of any immediate me Treatment	edical attention and special treatment needed Treat symptomatically.	
	Treat Symptomatically.	
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from the	ne substance or mixture	
	No hazardous combustion products are known	
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathin	ng apparatus.
Further information :	Standard procedure for chemical fires.	



Revision Date: 03.03.2025 Date of last issue: 06.06.2024

Version 3.2

Print Date 03.03.2025

## **SECTION 6: Accidental release measures**

	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-220 W Conductive Part A



Revision Date: 03.03.2025 Date of last issue: 06.06.2024

Version 3.2

Print Date 03.03.2025

age stability

## 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC	
		Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	50 ppm 300 mg/m3	FOR-2011-12- 06-1358	
	Further information: Chemicals that can be absorbed throug skin.				

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
ountry NO 00000043567		5 /



Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

General advice

: Try to prevent the material from entering drains or water courses. No special environmental precautions required.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid black
Odour	:	amine-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	эхр	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor<sup>®</sup>-220 W Conductive Part A



Revision Date: 03.03.2025 Date of last issue: 06.06.2024	Version 3.2	Print Date 03.03.2025
Decomposition temperature	: No data available	
рН	: ca. 9 Concentration: 100 %	
<b>Viscosity</b> Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,2 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

## 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

## **10.5 Incompatible materials**

Materials to avoid	:	No data available
--------------------	---	-------------------



Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

## **Components:**

#### (2-methoxymethylethoxy)propanol:

Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg
-----------------------	--------------------------------

Acute dermal toxicity	:	LD50 Dermal (	(Rabbit): >	5.000 mg/kg
-----------------------	---	---------------	-------------	-------------

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

# Aspiration toxicity

Not classified due to lack of data.



Sikafloor®-220 W Conductive Part A

Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

## Product:

Additional ecological infor- : There is no data available for this product. mation



Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product resi This material and its container must be disposed of in a way. Dispose of surplus and non-recyclable products via a lic waste disposal contractor. Disposal of this product, solutions and any by-products at all times comply with the requirements of environmen protection and waste disposal legislation and any region local authority requirements. Avoid dispersal of spilled material and runoff and contact soil, waterways, drains and sewers.	idues. safe ensed should tal nal
Waste Code	7051	
European Waste Catalogue	08 01 11* waste paint and varnish containing organic sevents or other dangerous substances	ol-
Contaminated packaging	15 01 10* packaging containing residues of or contamin by dangerous substances	ated

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
Country NO 00000043567		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor<sup>®</sup>-220 W Conductive Part A



evision Date: 03.03.2025 ate of last issue: 06.06.2024	Version	3.2	Print Date 03.03.20
IMDG	: Not regulated as a da	angerous good	
IATA (Cargo)	: Not regulated as a da		
IATA (Passenger)	: Not regulated as a da	0 0	
4.5 Environmental hazards		gereae gerea	
Not regulated as a dangero	is good		
<b>4.6 Special precautions for u</b> Not applicable	ser		
4.7 Maritime transport in bull Not applicable for product a	-	ients	
ECTION 15: Regulatory in	ormation		
5.1 Safety, health and enviro International Chemical Wea Schedules of Toxic Chemic	pons Convention (CWC)	ation specific for the : Not applicable	e substance or mixture
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	ostream suppliers, and d/or egulation, and/or	
REACH - Restrictions on the market and use of certa mixtures and articles (Anne	n dangerous substances,		estriction for the fol- should be considered: 3
REACH - Candidate List of Concern for Authorisation (		: None of the co (=> 0.1 %).	mponents are listed
REACH - List of substance (Annex XIV)	subject to authorisation	: Not applicable	
Regulation (EU) No 2024/5 plete the ozone layer	0 on substances that de-	: Not applicable	
Regulation (EU) 2019/1021 tants (recast)	on persistent organic pollu-	: Not applicable	
Regulation (EU) No 649/20	2 of the European Parlia-	: Not applicable	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-220 W Conductive Part A



Revision Date: 03.03.2025 Date of last issue: 06.06.2024 Version 3.2

Print Date 03.03.2025

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 1,38% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,07% w/w
Product registration number	:	634050

## Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements		
H302	:	Harmful if swallowed.
H318	:	Causes serious eye damage.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits
2000/39/EC / TWA	:	Limit Value - eight hours
FOR-2011-12-06-1358 /	:	Long term exposure limit
TWA		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-220 W Conductive Part A



Revision Date: 03.03.2025 Date of last issue: 06.06.2024	Version 3.2	Print Date 03.03.2025
GHS IATA IMDG	<ul> <li>Globally Harmonized System</li> <li>International Air Transport Association</li> <li>International Maritime Code for Dangerou</li> </ul>	
LD50	: Median lethal dosis (the amount of a mat once, which causes the death of 50% (or test animals)	
LC50	<ul> <li>Median lethal concentration (concentration air that kills 50% of the test animals durin period)</li> </ul>	
MARPOL	: International Convention for the Prevention Ships, 1973 as modified by the Protocol	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	<ul> <li>Regulation (EC) No 1907/2006 of the Eu and of the Council of 18 December 2006 istration, Evaluation, Authorisation and R cals (REACH), establishing a European 0</li> </ul>	concerning the Reg- estriction of Chemi-
SVHC vPvB	<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>	<b>C</b> <i>Y</i>

#### **Further information**

Classification of the mixtur	Classification procedure:	
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN