Print Date 31.10.2022

Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaScreed[®] Flytstop

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)Hazard pictograms:Signal word:DangerHazard statements:H315Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaScreed[®] Flytstop

Print Date

Revision Date: 31.10.2022 Date of last issue: 26.08.2020	Ve	ersion 4.1	Print Date 31.10.2022
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1

Substances with a workplace expos	sure limit :	
Quartz (SiO2)	14808-60-7 238-878-4	>= 40 - < 60

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	ffects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protec Personal precautions	 tive equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 Methods and material for cor	tainment and cleaning up
Methods for cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see se	ection 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see
		section 8).

Jika ®
Print Date 31.10.2022

Revision Date: 31.10.2022
Date of last issue: 26.08.2020

		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection agains fire and explosion	st :	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage	e, incl	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TWA (respirable	0,05 mg/m3	FOR-2011-12-
		dust)	(Silica)	06-1358
	Further inform	nation: Substances	considered to be c	arcinogenic
		TWA (total dust)	0,3 mg/m3	FOR-2011-12-
			(Silica)	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
total dust	TWA	5 mg/m3	FOR-2011-12-06-1358
respirable dust	TWA	5 mg/m3	FOR-2011-12-06-1358
total dust	TWA	10 mg/m3	FOR-2011-12-06-1358

Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1



8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Try to prevent the material from entering drains or water

General advice

I ry to prevent the material from entering drains or water courses. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	very faint

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaScreed® Flytstop

Print Date 31.10.2022

Revision Date: 31.10.2022 Date of last issue: 26.08.2020

Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
		I
Upper/lower flammability or of Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	2,3 g/cm3 (20 °C)

Version 4.1

Relative vapour density : No data available

Particle characteristics	:	No data available

Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1



9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid :	No data available
-----------------------	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1



Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components consid-

Revision Date: 31.10.2022
Date of last issue: 26.08.2020



Version 4.1

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
	soil, waterways, drains and sewers.
Waste Code	: 7132
European Waste Catalogue	: 16 03 03* inorganic wastes containing dangerous substances
Contaminated packaging	 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID numberADR:Not regulated as a dangerous goodIMDG:Not regulated as a dangerous goodIATA:Not regulated as a dangerous good

14.2 UN proper shipping name

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

Revision Date: 31.10.2022 Date of last issue: 26.08.2020



Version 4.1

ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
44.5. Environmental haranda		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable				
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable				
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: None of the components are listed (=> 0.1 %).				
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable				
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable				
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

SikaScreed® Flytstop

Print Date 31.10.2022

Revision Date: 31.10.2022 Date of last issue: 26.08.2020 Version 4.1

: Not applicable

of dangerous chemicals	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.
Seveso III: Directive 2012/18 jor-accident hazards involvin	/EU of the European Parliament and of the Council on the control of ma- g dangerous substances. Not applicable
Volatile organic compounds	: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Product registration number : 318356

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315	:	Causes skin irritation.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits		
FOR-2011-12-06-1358 /	:	Long term exposure limit		
TWA				
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		

Revision Date: 31.10.2022 Date of last issue: 26.08.2020



Version 4.1	

LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT PNEC REACH	 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of	f the mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN