Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025 Version 4.2

Print Date 04.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:Sika® Bonding Primer Part ARecommended restrictions:For professional users only.on use::

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Primer

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	(!)	
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention P261 P272	: Avoid breathing mist or vapours. Contaminated work clothing should not be

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Version 4.2		Print Date 04.06.2025
	P280	allowed out of the workplace. Wear protective gloves.	
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P362 + P364	Take off contaminated clothing before reuse.	and wash it
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

benzyl alcohol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1-methoxy-2-propanol	107-98-2	Flam. Liq. 3; H226	>= 2,5 - < 5
Contains:	203-539-1	STOT SE 3; H336	
2-methoxypropanol <= 0,3 %	01-2119457435-35-	(Central nervous	
	XXXX	system)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Bonding Primer Part A

Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Version 4.2		Print Date 04.06.2025	
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute oral toxicity: 1.200 mg/kg	>= 1 - < 2,5	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

			-
	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 M	Most important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
	Risks	:	May cause an allergic skin reaction.
			sensitising effects
4.3 Indication of any immediate medical attention and special treatment needed			
	Treatment	:	Treat symptomatically.

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025 Version 4.2

Print Date 04.06.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :	No hazardous combustion products are known
ucts	

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

• •	 ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. 		
6.2 Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system.		
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 		
6.4 Reference to other sections			
For personal protection see sec	tion 8.		

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being
-------------------------	---	--

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025		Version 4.2	Print Date 04.06.2025
		used. Smoking, eating and drinking should be prohi plication area. Follow standard hygiene measures when han products	·
Advice on protection against fire and explosion	:	Normal measures for preventive fire protectio	n.
Hygiene measures	:	Handle in accordance with good industrial hyperactice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and wel place. Containers which are opened must be sealed and kept upright to prevent leakage. S ance with local regulations.	carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as dir	ected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Shee use.	at prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
1-methoxy-2-propanol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
	Further inform	nation: Identifies the	possibility of signi	ificant uptake
	through the s	kin, Indicative		
		STEL	150 ppm 568 mg/m3	2000/39/EC
		TWA	50 ppm 180 mg/m3	FOR-2011-12- 06-1358
	and/or a remain	Further information: The EU has set an indicative limit value and/or a remark for this substance, Chemicals that can be ab- sorbed through the skin.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Bonding Primer Part A

Revision Date: 04.06.2025	
Date of last issue: 03.03.2025	

Version 4.2

Print Date 04.06.2025

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment			
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	
Environmental exposure controls			

nvironmental exposure controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025		Version 4.2	Print Date 04.06.2025
Colour	:	white	
Odour	:	very faint	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 100 °C	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 9,5 Concentration: 100 %	
Viscosity			
Viscosity, kinematic	:	7 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density Country NO 00000604220	:	No data available	7 / 15

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Version 4.2	Print Date 04.06.202
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and I	eactivity	
10.1 Reactivity		
No dangerous reaction kno	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically s	able.	
10.3 Possibility of hazardous	eactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decompositio	n products	
	: No hazardous decomposition products a	are known.
SECTION 11: Toxicological		

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data	
Components:	
1-methoxy-2-propanol: Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity :	LC50: 7,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 5.000 mg/kg

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

- -_



Sika [®] Bonding Primer Part A					
Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Version 4.2	Print Date 04.06.2025			
benzyl alcohol: Acute oral toxicity :	Acute toxicity estimate: 1.200 mg/kg Method: Acute toxicity estimate according to Regi	ulation (EC)			
	No. 1272/2008 LD50 Oral (Rat): 1.200 mg/kg				
Acute inhalation toxicity :	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Skin corrosion/irritation Not classified due to lack of data					
Serious eye damage/eye irritat Not classified due to lack of data					
Respiratory or skin sensitisation	on				
Skin sensitisation					
May cause an allergic skin reacti	on.				
Respiratory sensitisation Not classified due to lack of data					
Germ cell mutagenicity Not classified due to lack of data					
Carcinogenicity Not classified due to lack of data					
Reproductive toxicity Not classified due to lack of data					
STOT - single exposure Not classified due to lack of data					
STOT - repeated exposure Not classified due to lack of data					
Aspiration toxicity Not classified due to lack of data					
11.2 Information on other hazards					
Endocrine disrupting propertie	s				
Product:					
Assessment :	The substance/mixture does not contain compone ered to have endocrine disrupting properties acco REACH Article 57(f) or Commission Delegated re (EU) 2017/2100 or Commission Regulation (EU) 2 levels of 0.1% or higher.	ording to gulation 2018/605 at			
Country NO 00000604220		9/15			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025 Version 4.2

Print Date 04.06.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:				
1-methoxy-2-propar	ol:			
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h		
Toxicity to daphnia ar aquatic invertebrates		EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h		
benzyl alcohol:				
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h		
Toxicity to daphnia ar aquatic invertebrates	nd other :	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h		
12.2 Persistence and de	gradability			
No data available				
12.3 Bioaccumulative po No data available	tential			
12.4 Mobility in soil				
No data available				
12.5 Results of PBT and	vPvB asses	ssment		
Product:				
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher		
12.6 Endocrine disrupting properties				
Product:				
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025	Version 4.2	Print Date 04.06.2025
Date of last issue: 03.03.2025		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

F	Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
E	European Waste Catalogue	:	08 01 12 waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Versi	ion 4.2	Print Date 04.06.2025
ADR	: Not regulated as a	dangerous good	
IMDG	: Not regulated as a		
IATA (Cargo)	: Not regulated as a		
IATA (Passenger)	: Not regulated as a		
14.5 Environmental hazards Not regulated as a dangerou	-		
14.6 Special precautions for us Not applicable	er		
14.7 Maritime transport in bulk Not applicable for product as	-	uments	
SECTION 15: Regulatory inf	ormation		
International Chemical Wea Schedules of Toxic Chemica REACH Information:	Is and Precursors All substances cor - registered by our - registered by us,	e regulation, and/or	
REACH - Restrictions on the the market and use of certai mixtures and articles (Anne)	n dangerous substances		estriction for the fol- should be considered: 3
		Number on list propanol	40: 1-methoxy-2-
		Number on list	75
REACH - Candidate List of S Concern for Authorisation (A		: None of the co (=> 0.1 %).	mponents are listed
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable	
Regulation (EU) No 2024/59 plete the ozone layer	0 on substances that de-	: Not applicable	

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Date of last issue: 03.03.2025	Version 4.2	Print Date 04.06.2025				
Regulation (EU) 2019/1021 on per tants (recast)	rsistent organic pollu- : Not applicable					
e ()	Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 3,58% w/w Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 4,81% w/w					

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

	Full text of H-Statements					
	H226	:	Flammable liquid and vapour.			
	H302	:	Harmful if swallowed.			
	H317	:	May cause an allergic skin reaction.			
	H319	:	Causes serious eye irritation.			
	H336	:	May cause drowsiness or dizziness.			
Full text of other abbreviations						
	Acute Tox.	:	Acute toxicity			
	Eye Irrit.	:	Eye irritation			
	Flam. Lig.	:	Flammable liquids			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A



Revision Date: 04.06.2025 Version 4.2 Print Date 04.06.2025 Date of last issue: 03.03.2025 Skin Sens. Skin sensitisation STOT SE Specific target organ toxicity - single exposure Europe. Commission Directive 2000/39/EC establishing a first 2000/39/EC list of indicative occupational exposure limit values Norway, Occupational Exposure limits FOR-2011-12-06-1358 1 2000/39/EC / TWA Limit Value - eight hours 2000/39/EC / STEL Short term exposure limit FOR-2011-12-06-1358 / Long term exposure limit : TWA ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS **Chemical Abstracts Service** : DNEL Derived no-effect level EC50 Half maximal effective concentration GHS **Globally Harmonized System** International Air Transport Association IATA International Maritime Code for Dangerous Goods IMDG LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in LC50 air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern SVHC : vPvB Very persistent and very bioaccumulative **Further information**

Classification of the mixtur	Classification procedure:	
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN

Country NO 00000604220

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Bonding Primer Part A

Revision Date: 04.06.2025 Date of last issue: 03.03.2025 Version 4.2

Jika®

Print Date 04.06.2025

