

Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikasil[®]-670 Fire

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		Prevention	:
		P264 P280	Wash skin thoroughly after handling. Wear eye protection/ face protection.



Revision Date: 03.03.2025 Version 5.1 Date of last issue: 01.08.2024

Print Date 03.03.2025

Response:

P305 + P351 +	P338 IF IN EYES: Rinse cautiously with wa-
	ter for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.

Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
bis(ethyl acetoacetato-	83877-91-2	Flam. Liq. 3; H226	>= 1 - < 2,5
O1',O3)bis(2-methylpropan-1-	281-161-6	Skin Irrit. 2; H315	
olato)titanium	01-2119968551-31-	Eye Dam. 1; H318	
Contains:	XXXX	STOT SE 3; H335	
2-methylpropan-1-ol <= 2 %		(Respiratory system)	
		STOT SE 3; H336	
		(Central nervous	
		system)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire

Jika®

ision Date: 03.03.2025 e of last issue: 01.08.2024	Version 5	Version 5.1	
methanol	67-56-1 200-659-6 01-2119433307-44- XXXX	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H311 STOT SE 1; H370 specific concentration limit STOT SE 1; H370 >= 10 % specific concentration limit STOT SE 2; H371 3 - < 10 %	>= 0,1 - < 0,5
Substances with a workplace e Titanium dioxide (> 10 µm)	xposure limit : 13463-67-7		>= 5 - < 10
	236-675-5		
	01-2119489379-17-		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1 Print Date 03.0	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	:	irritant effects	
		Causes serious eye irritation.	
4.3 Indication of any immediate r	neo	lical attention and special treatment n	eeded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction.	
5.2 Special hazards arising from	the	substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are	known
5.3 Advice for firefighters			
-	:	In the event of fire, wear self-contained	breathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e r	neasures	
6.1 Personal precautions, protec	tive	e equipment and emergency procedure	es
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	If the product contaminates rivers and la respective authorities. No special environmental precautions re	
6.3 Methods and material for con	itai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e acid binder, universal binder, sawdust). Keep in suitable, closed containers for c	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire



Revision Date: 03.03.2025Version 5.1Print Date 03.03.2025Date of last issue: 01.08.2024Version 5.1Print Date 03.03.2025

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	n	
Advice on safe handling	'9 :	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Titanium dioxide (> 10 μm)	13463-67-7	TWA	5 mg/m3	FOR-2011-12-
			-	06-1358
methanol	67-56-1	TWA	200 ppm	2006/15/EC
			260 mg/m3	
	Further inform	nation: Indicative, Ide	entifies the possib	ility of signifi-
	cant uptake t	hrough the skin		, ,
		TWA	100 ppm	FOR-2011-12-
1 NO 10000000000				- / / /

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire



Revision Date: 03.03.2025

Version 5.1

Print Date 03.03.2025

Date of last issue: 01.08.2024

	130 mg/m3	06-1358
Further information: The EU has and/or a remark for this substan sorbed through the skin.		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		TŴA	100 ppm 130 mg/m3	FOR-2011-12- 06-1358
	Further information: The EU has set an indicative limit value and/or a remark for this substance, Chemicals that can be ab- sorbed through the skin.			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
methanol	Workers	Skin contact		40 mg/m3
	Exposure time: 8 I	า		
	Consumers	Skin contact		260 mg/m3
	Exposure time: 8 I	h		

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Version 5.1	Print Date 03.03.2025
Respiratory protection	 In case of inadequate ventilation wear in Respirator selection must be based on exposure levels, the hazards of the proving limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In cat to keep the concentrations under the od limits then respiration protection measure. 	known or anticipated duct and the safe work- < 10000 ppm be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure

Environmental exposure controls

General advice	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.
		No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste various
Odour	:	No data available
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	əxp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 93 °C Method: closed cup

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.2025
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 30 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,35 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No hazards to be specially mentioned.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid : No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.2025
10.5 Incompatible materials Materials to avoid	:	No data available	
10.6 Hazardous decomposition p Hazardous decomposition products			
	:	No hazardous decomposition products are know	wn.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.



Revision Date: 03.03.2025 Date of last issue: 01.08.2024

Version 5.1

Print Date 03.03.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation



Revision Date: 03.03.2025 Date of last issue: 01.08.2024 Version 5.1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residue This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licens waste disposal contractor. Disposal of this product, solutions and any by-products sho at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact wits soil, waterways, drains and sewers.	e sed vuld
Waste Code	7051	
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances	с
Contaminated packaging	15 01 10* packaging containing residues of or contaminated by dangerous substances	d

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
Country NO 10000006612		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil®-670 Fire



Revision Date: 03.03.2025 Date of last issue: 01.08.2024	Versi	on 5.1	Print Date 03.03.202
IMDG	: Not regulated as a	dangerous good	
IATA (Cargo)	: Not regulated as a	dangerous good	
IATA (Passenger)	: Not regulated as a	dangerous good	
14.5 Environmental hazards Not regulated as a dangero	ous good		
4.6 Special precautions for ι Not applicable	Iser		
14.7 Maritime transport in bul Not applicable for product a	-	uments	
SECTION 15: Regulatory in	formation		
5.1 Safety, health and enviro International Chemical We Schedules of Toxic Chemic	apons Convention (CWC)	slation specific for the : Not applicable	
REACH Information:	 registered by our registered by us, 	e regulation, and/or	
REACH - Restrictions on the market and use of certa mixtures and articles (Anne	ain dangerous substances		restriction for the fol- should be considered: 3
REACH - Candidate List of Concern for Authorisation (: None of the co (=> 0.1 %).	omponents are listed
REACH - List of substance (Annex XIV)	s subject to authorisation	: Not applicable	
Regulation (EU) No 2024/5 plete the ozone layer	90 on substances that de-	: Not applicable	
Regulation (EU) 2019/102 [,] tants (recast)	l on persistent organic pol	u- : Not applicable	
Regulation (EU) No 649/20	012 of the European Parlia erning the export and impo		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikasil®-670 Fire



Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 01.08.2024		

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,21% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,21% w/w
Product registration number	:	614412

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H225 H226 H301 H311 H315		Highly flammable liquid and vapour. Flammable liquid and vapour. Toxic if swallowed. Toxic in contact with skin. Causes skin irritation.		
H318 H331	:	Causes serious eye damage. Toxic if inhaled.		
H335 H336 H370	:	May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs.		
Full text of other abbreviations				
Acute Tox. Eye Dam. Flam. Liq. Skin Irrit. STOT SE 2006/15/EC FOR-2011-12-06-1358 2006/15/EC / TWA FOR-2011-12-06-1358 / TWA		Limit Value - eight hours Long term exposure limit		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®]-670 Fire



Revision Date: 03.03.2025 Date of last issue: 01.08.2024		Version 5.1	Print Date 03.03.2025
CAS		Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	÷	Globally Harmonized System	
IATA	÷	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous G	loods
LD50		Median lethal dosis (the amount of a materia	
		once, which causes the death of 50% (one had	
		test animals)	
LC50	:	Median lethal concentration (concentrations of	of the chemical in
		air that kills 50% of the test animals during th	e observation
		period)	
MARPOL	:	International Convention for the Prevention o	
		Ships, 1973 as modified by the Protocol of 19	978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europe	
		and of the Council of 18 December 2006 con	
		istration, Evaluation, Authorisation and Restr	
0.410		cals (REACH), establishing a European Cher	micals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

Further information

Classification of the mixtur	Classification procedure:	
Eye Irrit. 2	H319	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN