

Revision Date: 24.04.2025 Date of last issue: 03.03.2025 Version 3.0

Print Date 24.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®] TC 442 W Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P261	: Avoid breathing mist or vapours.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	١	/ersion 3.0	Print Date 24.04.2025
	P273 P280	Avoid release to the environme Wear protective gloves.	nt.
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P362 + P364 Take off contaminated clothing and wash before reuse.		and wash it
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.



Revision Date: 24.04.2025 Date of last issue: 03.03.2025 Version 3.0

Print Date 24.04.2025

SECTION 3: Composition/information on ingredients


3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bronopol (INN)	52-51-7 200-143-0 01-2119980938-15- XXXX	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,025 - < 0,1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] TC 442 W Part A



Version 3.0



Print Date 24.04.2025

te of last issue: 03.03.2025			
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,025 - < 0,036

Revision Date: 24.04.2025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] TC 442 W Part A

Jika®

Print Date 24.04.2025

sion Date: 24.04.2025 of last issue: 03.03.2025	Version 3	.0	Print Date 24.04
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % Specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Specific concentration limit Eye Dam. 1; H318 >= 0,6 %	>= 0,0025 - < 0,025
Substances with a workplace expo Titanium dioxide (> 10 µm)	sure limit : 13463-67-7 236-675-5 01-2119489379-17-		>= 10 - < 20

Version 3.0

For explanation of abbreviations see section 16.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025 Version 3.0

Print Date 24.04.2025

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled :	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and e	effects, both acute and delayed			
Symptoms :	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.			
Risks :	sensitising effects			
	May cause an allergic skin reaction.			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	Treat symptomatically.			

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025		Version 3.0	Print Date 24.04.2025
ucts			
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	thing apparatus.
Further information	:	Standard procedure for chemical fires.	
6.1 Personal precautions, protect Personal precautions		e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary see If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for co	ntai	nment and cleaning up	
Mathada far alaaning un		Sock up with inart abcorbont material (a.g. a	and ailian gal

Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
---------------------------	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products



Revision Date: 24.04.2025 Date of last issue: 03.03.2025		Version 3.0	Print Date 24.04.2025
Hygiene measures	:	Handle in accordance with good industrial hygipractice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	n using do not
7.2 Conditions for safe storage, ir	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Sto ance with local regulations.	arefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	cted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA	5 mg/m3	FOR-2011-12- 06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025
Skin and body protection	: Protective clothing (e.g. Safety shoes and long-sleeved working clothing, long trou and protective boots are additionally rec and stirring work.	sers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear re Respirator selection must be based on I exposure levels, the hazards of the proo- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can b exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In can to keep the concentrations under the occ limits then respiration protection measure 	known or anticipated duct and the safe work- a 10000 ppm e achieved by local tion. (EN 689 - Meth-). This applies in par- se this is not sufficent coupational exposure
Environmental exposure con	trols	
General advice	: Do not flush into surface water or sanita	ry sewer system.

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: : :	liquid viscous grey		
Odour	:	pleasant		
Melting point/ range / Freez- ing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025		Version 3.0	Print Date 24.04.2025
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 110 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, dynamic	:	600 - 900 mPa.s (20 °C)	
Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	partly soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,14 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

Sika®

Sikafloor[®] TC 442 W Part A

Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025	
10.2 Chemical stability			
The product is chemically stable).		
10.3 Possibility of hazardous reac	tions		
Hazardous reactions	: No hazards to be specially mentioned.		
10.4 Conditions to avoid			
Conditions to avoid	: No data available		
10.5 Incompatible materials			
Materials to avoid	: No data available		
10.6 Hazardous decomposition products			
	: No hazardous decomposition products are	e known.	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data. **Components:** 1,2-benzisothiazol-3(2H)-one (BIT): Acute oral toxicity Acute toxicity estimate: 450 mg/kg : Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 LD50 Oral (Rat): 450 mg/kg Acute inhalation toxicity Acute toxicity estimate: 0,21 mg/l : Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025
Skin corrosion/irritation Not classified due to lack of data		
Serious eye damage/eye irritat Not classified due to lack of data		
Respiratory or skin sensitisati	on	
Skin sensitisation May cause an allergic skin react	ion.	
Respiratory sensitisation Not classified due to lack of data		
Components:		
1,2-benzisothiazol-3(2H)-one (Assessment :	BIT): May cause sensitisation by skin contact.	
Germ cell mutagenicity Not classified due to lack of data		
Carcinogenicity Not classified due to lack of data		
Reproductive toxicity Not classified due to lack of data		
STOT - single exposure Not classified due to lack of data		
STOT - repeated exposure Not classified due to lack of data		
Aspiration toxicity Not classified due to lack of data		
11.2 Information on other hazards		
Endocrine disrupting propertien Not classified due to lack of data		
Product:		
Assessment :	The substance/mixture does not contain con ered to have endocrine disrupting properties REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation	s according to ated regulation

levels of 0.1% or higher.



Revision Date: 24.04.2025 Date of last issue: 03.03.2025 Version 3.0

Print Date 24.04.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

bronopol (INN):

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025
Assessment	: The substance/mixture does not contain ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	berties according to elegated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: An environmental hazard cannot be ex unprofessional handling or disposal. Harmful to aquatic life with long lasting	
SECTION 13: Disposal consid	erations	
13.1 Waste treatment methods		

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
C_{OUD} try NO 10000054040		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®] TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025

Version 3.0

Print Date 24.04.2025

IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Number on list 75
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) No 2024/590 on substances that de-	:	Not applicable

Sikafloor[®] TC 442 W Part A

_



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025
plete the ozone layer		
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- : Not applica	ble
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		ble
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar	of the European Parliament and of the C ngerous substances. Not applicable	Council on the control of ma-
Volatile organic compounds :	Law on the incentive tax for volatile org (VOCV) no VOC duties	ganic compounds
	Directive 2010/75/EU of 24 November livestock rearing emissions (integrated and control) Volatile organic compounds (VOC) cor	pollution prevention
Product registration number :	667692	

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H312 :	Harmful in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H331 :	Toxic if inhaled.
H335 :	May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025	Version 3.0	Print Date 24.04.2025
H400	: Very toxic to aquatic life.	
H410	: Very toxic to aquatic life with long lasting effects	
Full text of other abbreviation	IS	
Acute Tox.	: Acute toxicity	
Aquatic Acute	: Short-term (acute) aquatic hazard	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Skin Corr.	: Skin corrosion	
Skin Irrit.	: Skin irritation	
Skin Sens.	: Skin sensitisation	
STOT SE	: Specific target organ toxicity - single exposure	
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits	
FOR-2011-12-06-1358 /	: Long term exposure limit	
TWA		
ADR	: European Agreement concerning the Internation	al Carriage of
	Dangerous Goods by Road	
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Good	
LD50	: Median lethal dosis (the amount of a material, gi	ven all at
	once, which causes the death of 50% (one half)	of a group of
	test animals)	
LC50	: Median lethal concentration (concentrations of the	ne chemical in
	air that kills 50% of the test animals during the o	bservation
	period)	
MARPOL	: International Convention for the Prevention of Po	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer	
	istration, Evaluation, Authorisation and Restriction	
	cals (REACH), establishing a European Chemica	
SVHC	: Substances of Very High Concern	ais Ayency
vPvB	: Very persistent and very bioaccumulative	
	. Very persistent and very bloaccumulative	

Further information

Classification of the mixture:		Classification procedure:	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor® TC 442 W Part A



Revision Date: 24.04.2025 Date of last issue: 03.03.2025 Version 3.0

Print Date 24.04.2025

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN