SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Retarder liquid UFI:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS Sanitetsveien 1 2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 2-octyl-2H-isothiazole-3-one (OIT). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 $\overline{}$ M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 $\overline{}$ specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l	
For evolution of obbroviations as		Acute dermal toxicity: 311 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023		Version 2.2	Print Date 03.03.2025
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes immed Wash off with soap and plenty of water.	diately.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate r Treatment	meo :	dical attention and special treatment needed Treat symptomatically.	
•	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting meas	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting meas	: sur	Treat symptomatically.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	: sur	Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pr extinction.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media	: sur :	Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: sur :	Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	: sur : the	Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical po extinction.	owder for

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023	Version 2.2	Print Date 03.03.2025	
6.2 Environmental precautions			
Environmental precautions :	No special environmental precautions required.		
6.3 Methods and material for conta	inment and cleaning up		
Methods for cleaning up :	Wipe up with absorbent material (e.g. cloth, fleed Keep in suitable, closed containers for disposal.	;e).	
6.4 Reference to other sections			
For personal protection see sect	ion 8.		
SECTION 7: Handling and stora 7.1 Precautions for safe handling	ge		
Advice on safe handling :	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handlir products	ng chemical	
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.		
Hygiene measures :	When using do not eat or drink. When using do r	not smoke.	
7.2 Conditions for safe storage, including any incompatibilities			

Requirements for storage
areas and containers:Keep container tightly closed in a dry and well-ventilated
place. Store in accordance with local regulations.Advice on common storage:No special restrictions on storage with other products.Further information on stor-
age stability:No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Contains no substances with occupational exposure limit values				

Contains no substances with occupational exposure limit values.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid

Jika®

Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

8.2 Exposure controls

Personal protective equipm	ent	
Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure co	ontro	ols
General advice	:	No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

•	Physical state Colour	:	liquid colourless
	Odour	:	odourless
	Melting point/ range / Freez- ing point	:	No data available
	Boiling point/boiling range	:	100 °C
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	exp	losive limits
	Upper explosion limit / Up- per flammability limit	•	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023	Version 2.2	Print Date 03.03.2025

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	7
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	1,2 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

10.5 Incompatible materials

Materials to avoid

: No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.			
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.			
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.			
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.			
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.			
European Waste Catalogue	: 17 09 04 mixed construction and demolition wastes other			

.

. . .

than those mentioned in 17 09 01, 17 09 02 and 17 09 03

. . .

. . .

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023	Version	2.2	Print Date 03.03.2025
IATA (Cargo)	: Not regulated as a da	inderous dood	
IATA (Passenger)	: Not regulated as a da		
14.5 Environmental hazards			
Not regulated as a dangerous g	good		
14.6 Special precautions for user Not applicable			
14.7 Maritime transport in bulk ac Not applicable for product as s	-	ents	
SECTION 15: Regulatory inform 15.1 Safety, health and environmer International Chemical Weapor Schedules of Toxic Chemicals	ental regulations/legislants Convention (CWC)	tion specific for th : Not applicable	
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	stream suppliers, a d/or egulation, and/or	
REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	angerous substances,	: Not applicable	9
REACH - Candidate List of Sub Concern for Authorisation (Artion		: None of the c (=> 0.1 %).	omponents are listed
REACH - List of substances su (Annex XIV)	bject to authorisation	: Not applicable	9
Regulation (EU) No 2024/590 on substances that de- plete the ozone layer		: Not applicable	9
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	: Not applicable	9
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		: Not applicable	e

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023 Version 2.2

Print Date 03.03.2025

Seveso III: Directive 2012/18/El jor-accident hazards involving d	U of the European Parliament and of the Council on the control of ma- langerous substances. Not applicable
Volatile organic compounds	: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H301	:	Toxic if swallowed.			
H311	÷	Toxic in contact with skin.			
H314	:	Causes severe skin burns and eye damage.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H330	:	Fatal if inhaled.			
H400	:	Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Skin Corr.	:	Skin corrosion			
Skin Sens.	:	Skin sensitisation			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Retarder liquid



Revision Date: 03.03.2025 Date of last issue: 20.02.2023	Version 2.2	Print Date 03.03.2025
MARPOL	period) : International Convention for the Prevention	
OEL PBT PNEC	 Ships, 1973 as modified by the Protocol of Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration 	1978
REACH	: Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 c istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch	oncerning the Reg- striction of Chemi-
SVHC vPvB	 Substances of Very High Concern Very persistent and very bioaccumulative 	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN