

Revision Date: 15.07.2025 Date of last issue: 03.03.2025 Version 5.3

Print Date 15.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaCeram[®]-204 Medium

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger Hazard statements H315 Causes skin irritation. Causes serious eye damage. H318 May cause respiratory irritation. H335 If medical advice is needed, have product P101 Precautionary statements : container or label at hand. P102 Keep out of reach of children.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025	V	/ersion 5.3	Print Date 15.07.2025
	Prevention:		
	P261 P280	Avoid breathing dust. Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal: P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · · ·
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

238-878-4



SikaCeram[®]-204 Medium

Revision Date: 15.07.2025 Date of last issue: 03.03.2025	Version 5.3	Print Date 15.07.2025
Substances with a workpl	ace exposure limit :	
Quartz (SiO2)	14808-60-7	>= 60 - < 80

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 	
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 	
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.	
Risks	: irritant effects	
	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025		Version 5.3	Print Date 15.07.202
4 3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	g apparatus.
Further information	:	Standard procedure for chemical fires.	
	: se i		
SECTION 6: Accidental relea		neasures	
SECTION 6: Accidental relea		neasures e equipment and emergency procedures	
SECTION 6: Accidental relea		neasures	
SECTION 6: Accidental releat 6.1 Personal precautions, protect Personal precautions		measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust.	
SECTION 6: Accidental releat 6.1 Personal precautions, protect Personal precautions		measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from entering drains courses.	or water
SECTION 6: Accidental relea 6.1 Personal precautions, protect Personal precautions 6.2 Environmental precautions		measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from entering drains	or water
 SECTION 6: Accidental releat 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required.	or water
SECTION 6: Accidental releat 6.1 Personal precautions, protect Personal precautions 6.2 Environmental precautions	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required.	ust.
 SECTION 6: Accidental releat 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co 	ctiv :	measures e equipment and emergency procedures Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required. mment and cleaning up Pick up and arrange disposal without creating d	ust.

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025		Version 5.3	Print Date 15.07.2025
		Avoid exceeding the given occupational exposure section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlin products	d in the ap-
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaus at places where dust is formed.	st ventilation
Hygiene measures	:	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the en	ising do not
7.2 Conditions for safe storage,	incl	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations.	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet pruse.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TWA (respirable	0,05 mg/m3	FOR-2011-12-
		dust)	(Silica)	06-1358
	Further inforn	nation: Substances	considered to be c	arcinogenic
		TWA (total dust)	0,3 mg/m3	FOR-2011-12-
			(Silica)	06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
respirable dust		TWA	5 mg/m3	FOR-2011-12-06- 1358
total dust		TWA	10 mg/m3	FOR-2011-12-06- 1358

tion (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025 Version 5.3

Print Date 15.07.2025

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

1 , 1	,
Personal protective equipment	1
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P
	P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Try to prevent the material from entering drains or water courses.

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Form	:	powder
Colour	:	grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



on Date: 15.07.2025 f last issue: 03.03.2025		Version 5.3	Print Date 15.07.2
	:	Not applicable	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	losive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 11 Concentration: 50 %	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1,4 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025	Version 5.3	Print Date 15.07.2025	
Hazardous reactions	No hazards to be specially mentioned.		
10.4 Conditions to avoid Conditions to avoid	No data available		
10.5 Incompatible materials Materials to avoid	No data available		
10.6 Hazardous decomposition products			
	No hazardous decomposition products are know	'n.	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity Not classified due to lack of data.



Revision Date: 15.07.2025 Date of last issue: 03.03.2025 Version 5.3

Print Date 15.07.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation



Revision Date: 15.07.2025 Date of last issue: 03.03.2025 Version 5.3

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	
Waste Code	: 7091	
European Waste Catalogue	: 16 03 03* inorganic wastes containing dangerous substances	
Contaminated packaging	15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



vision Date: 15.07.2025 te of last issue: 03.03.2025	Versio	on 5.3	Print Date 15.07.2
IMDG	: Not regulated as a	dangerous good	
IATA (Cargo)	: Not regulated as a	dangerous good	
IATA (Passenger)	: Not regulated as a	dangerous good	
4.5 Environmental hazards Not regulated as a danger	bus good		
I.6 Special precautions for ι Not applicable	Iser		
I.7 Maritime transport in bul Not applicable for product a	-	ments	
ECTION 15: Regulatory in		lation anacific for th	
5.1 Safety, health and enviro International Chemical We Schedules of Toxic Chemic	apons Convention (CWC)	: Not applicable	
REACH Information:		regulation, and/or	
REACH - Restrictions on the market and use of certa mixtures and articles (Anne		lowing entries	restriction for the fol- should be considered: t 47: Cement (chromi-
REACH - Candidate List of Concern for Authorisation		: None of the contract (=> 0.1 %).	omponents are listed
REACH - List of substance (Annex XIV)	s subject to authorisation	: Not applicable	9
	·	: Not applicable	
(Annex XIV) Regulation (EU) No 2024/5 plete the ozone layer	·	: Not applicable	9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025	Version 5.3	Print Date 15.07.2025
Date of last issue: 03.03.2025		
Seveso III: Directive 2012/18/EU of finance jor-accident hazards involving dange N		Council on the control of ma-

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
----------------------------	---	---

Product registration number : 674788

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315:Causes skin irritation.H318:Causes serious eye damage.H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Eye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous Goods
H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:Long term exposure limitADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
Eye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
Skin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:Long term exposure limitADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
STOT SE:Specific target organ toxicity - single exposureFOR-2011-12-06-1358:Norway. Occupational Exposure limitsFOR-2011-12-06-1358 /:Long term exposure limitTWA:Long term exposure limitADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
FOR-2011-12-06-1358: Norway. Occupational Exposure limitsFOR-2011-12-06-1358 / TWA: Long term exposure limitADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport Association
FOR-2011-12-06-1358 / TWA:Long term exposure limitADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
TWAADRCASCASDNELEC50GHSIATAIATA
ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport Association
Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport Association
CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
DNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
EC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport Association
GHS : Globally Harmonized System IATA : International Air Transport Association
IATA : International Air Transport Association
IMDG International Maritime Code for Dangerous Goods
LD50 : Median lethal dosis (the amount of a material, given all at
once, which causes the death of 50% (one half) of a group of
test animals)
LC50 : Median lethal concentration (concentrations of the chemical in
air that kills 50% of the test animals during the observation
period)
MARPOL : International Convention for the Prevention of Pollution from
Ships, 1973 as modified by the Protocol of 1978
OEL : Occupational Exposure Limit
PBT : Persistent, bioaccumulative and toxic
PNEC : Predicted no effect concentration
REACH : Regulation (EC) No 1907/2006 of the European Parliament
and of the Council of 18 December 2006 concerning the Reg-
istration, Evaluation, Authorisation and Restriction of Chemi-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-204 Medium



Revision Date: 15.07.2025 Date of last issue: 03.03.2025	Version 5.3	Print Date 15.07.2025
SVHC vPvB	cals (REACH), establishing a European 0Substances of Very High ConcernVery persistent and very bioaccumulative	

Further information

_

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN