

Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Giftinformasjonen: 22 59 13 00

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Danger

2

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022		/ersion 6.0	Print Date 20.03.2025
Hazard statements :	H318 Ca H332 Ha H335 Ma	ay cause an allergic skin reaction. auses serious eye damage. armful if inhaled. ay cause respiratory irritation. armful to aquatic life with long lasti	
Precautionary statements :	Prevention: P261 P273 P280	Avoid breathing mist or vapour Avoid release to the environme Wear protective gloves/ eye pro protection.	ent.
	Response:		
		P312 IF INHALED: Remove pe air and keep comfortable for br POISON CENTER/ doctor if yo	eathing. Call a ou feel unwell.
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- / to do. Con-
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical

#### Hazardous components which must be listed on the label:

Hexamethylene-1,6-diisocyanate homopolymer Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hexamethylene-1,6-diisocyanate homopolymer Contains: hexamethylene-di-isocyanate <= 0,3 %	28182-81-2 931-274-8 01-2119485796-17- XXXX	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>=80
Poly(oxy-1,2-ethanediyl), .alpha tridecylomegahydroxy-, phos- phate	9046-01-9 Not Assigned	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 3 - < 5
cyclohexyldimethylamine	98-94-2 202-715-5 01-2119533030-60- XXXX	Flam. Liq. 3; H226 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 0,5 - < 1

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022	Version 6.0	Print Date 20.03.2025
Date 01 1851 15506. 12.00.2022		
	In the case of contact with eyes, rinse immediate	ely with plenty
	of water and seek medical advice.	-1
	Continue rinsing eyes during transport to hospita Remove contact lenses.	al.
	Keep eye wide open while rinsing.	
If swallowed :	Do not induce vomiting without medical advice.	
	Rinse mouth with water.	
	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
		o porcom
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Cough	
	Respiratory disorder	
	Allergic reactions Excessive lachrymation	
	Headache	
	See Section 11 for more detailed information on	health effects
	and symptoms.	
Risks :	irritant effects	
	sensitising effects	
	May cause an allergic skin reaction.	
	Causes serious eye damage.	
	Harmful if inhaled.	
	May cause respiratory irritation.	
4.3 Indication of any immediate me	dical attention and special treatment needed	
Treatment	Treat symptomatically.	
ireaunent .	Treat symptomatically.	
SECTION 5: Firefighting measu	200	
SECTION 5. Firenghting measure		
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/c	arbon diox-
	ide/sand/foam/alcohol resistant foam/chemical p	bowder for
	extinction.	
5.2 Special hazards arising from th	e substance or mixture	
	No hazardous combustion products are known	
ucts		
5.3 Advice for firefighters		
Special protective equipment :	In the event of fire, wear self-contained breathin	g apparatus.
for firefighters	, , , , , , , , , , , , , , , , , , ,	
Further information :	Standard procedure for chamical fires	
	Standard procedure for chemical fires.	



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 20.03.2025	Version 6.0	Print Date 20.03.2025
Date of last issue: 12.08.2022		

#### 7.2 Conditions for safe storage, including any incompatibilities

_		
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Hexamethylene-1,6-diisocyanate homo- polymer	28182-81-2	TWA	0,01 mg/m3 (NCO)	98/24/EC I
	Further inform	ation: Skin, Dermal	and respiratory se	ensitisation,
	Binding			
		STEL	0,02 mg/m3 (NCO)	98/24/EC I
		TWA	0,005 ppm	FOR-2011-12- 06-1358
	Further information: Substances considered to evoke allergies			
	when coming into touch with the eyes or airways or evoking aller-			
	gies after coming into contact with the skin			-
		STEL	0,01 ppm	FOR-2011-12- 06-1358

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme		
Eye/face protection	Safety glasses with side-shields conforming to E Eye wash bottle with pure water	EN166
Hand protection	Chemical-resistant, impervious gloves complyin proved standard must be worn at all times when chemical products. Reference number EN 374. acturer specifications. Suitable for short time use or protection against	handling Follow manu-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B



vision Date: 20.03.2025 te of last issue: 12.08.2022	Version 6.0	Print Date 20.03.2025
	Butyl rubber/nitrile rubber gloves (> 0,1 mr Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	m)
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouse and protective boots are additionaly recom and stirring work.	rs). Rubber aprons
Respiratory protection	<ul> <li>In case of inadequate ventilation wear resp Respirator selection must be based on kno exposure levels, the hazards of the product ing limits of the selected respirator. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10 Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). T ticular to the mixing / stirring area. In case to keep the concentrations under the occu limits then respiration protection measures Ensure adequate ventilation, especially in</li> </ul>	own or anticipated ct and the safe work- 0000 ppm achieved by local n. (EN 689 - Meth- This applies in par- this is not sufficent pational exposure s must be used.
Environmental exposure con	trols	
General advice	· Do not flush into surface water or sanitary	sower system

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 150 °C
Flammability (solid, gas)	:	No data available



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	100 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	partly soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,13 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available


# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.



No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled. Components:		
Hexamethylene-1,6-diisocya	ana	te homopolymer:
Acute oral toxicity	:	LD50 Oral (Rat): > 2.500 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg
<b>cyclohexyldimethylamine:</b> Acute inhalation toxicity	:	LC50 (Rat): 4,45 mg/l Exposure time: 4 h Test atmosphere: vapour
Skin corrosion/irritation		

Not classified due to lack of data.



Sikafloor®-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

# Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

## Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

May cause respiratory irritation.

# STOT - repeated exposure

Not classified due to lack of data.

# Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available Country NO 00000604186



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

#### 12.5 Results of PBT and vPvB assessment

## Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

#### 12.7 Other adverse effects

Product:
----------

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

levels of 0.1% or higher.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	The generation of waste should be avoided or mining wherever possible. Empty containers or liners may retain some product This material and its container must be disposed of way. Dispose of surplus and non-recyclable products via waste disposal contractor. Disposal of this product, solutions and any by-product at all times comply with the requirements of environ protection and waste disposal legislation and any re- local authority requirements. Avoid dispersal of spilled material and runoff and co- soil, waterways, drains and sewers.	t residues. in a safe a licensed ucts should mental egional
Waste Code	7121	
European Waste Catalogue	08 05 01* waste isocyanates	
Contaminated packaging	15 01 10* packaging containing residues of or conta by dangerous substances	aminated



Revision Date: 20.03.2025

Version 6.0

Print Date 20.03.2025

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Date of last issue: 12.08.2022

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmen	tal regulations/legislation specific for the substance or mixture
REACH Information:	All substances contained in our Products are

- registered by our upstream suppliers, and/or

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Banned and/or restricted the market and use of certain dangerous substances,

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022	Version 6.0	Print Date 20.03.2025
mixtures and articles (Annex XVI	I)	
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	of the European Parliament and of the Co ngerous substances. Not applicable	ouncil on the control of ma-
Volatile organic compounds :	Law on the incentive tax for volatile orga (VOCV) no VOC duties	inic compounds
	Directive 2010/75/EU of 24 November 2 livestock rearing emissions (integrated p and control) Volatile organic compounds (VOC) cont	ollution prevention
Product registration number :	308277	,

## Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H226	:	Flammable liquid and vapour.
H301	:	Toxic if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikafloor<sup>®</sup>-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022	Versio	n 6.0	Print Date 20.03.2025
Skin Sens. STOT SE 98/24/EC I		n toxicity - single exposure gents Directive - Annex I: values	
FOR-2011-12-06-1358 98/24/EC I / STEL 98/24/EC I / TWA FOR-2011-12-06-1358 / TWA	<ul> <li>Norway. Occupation</li> <li>Limit values Short-te</li> <li>Limit values 8 hours</li> <li>Long term exposure</li> </ul>	al Exposure limits erm	
FOR-2011-12-06-1358 / STEL	: Short term exposure	limit	
ADR	: European Agreemer Dangerous Goods b	nt concerning the Internati v Road	ional Carriage of
CAS	: Chemical Abstracts		
DNEL	: Derived no-effect lev	-	
EC50	: Half maximal effective		
GHS	: Globally Harmonized		
ΙΑΤΑ	: International Air Tran		
IMDG LD50	: Median lethal dosis	e Code for Dangerous Go (the amount of a material, the death of 50% (one ha	, given all at
LC50	: Median lethal conce	ntration (concentrations o he test animals during the	
MARPOL	: International Conver	ntion for the Prevention of ified by the Protocol of 19	
OEL	: Occupational Expos		
PBT	: Persistent, bioaccum		
PNEC	: Predicted no effect of	concentration	
REACH	and of the Council of istration, Evaluation,	1907/2006 of the Europea f 18 December 2006 conc Authorisation and Restric blishing a European Chem	cerning the Reg- ction of Chemi-
SVHC	: Substances of Very		
vPvB		very bioaccumulative	

## **Further information**

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

Sikafloor®-304 W/305 W/306 W Part B



Revision Date: 20.03.2025 Date of last issue: 12.08.2022 Version 6.0

Print Date 20.03.2025

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN