

Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika Boom[®]-557 All Seasons

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane foam

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika Boom[®]-557 All Seasons

Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

2.2 Label elements

Labelling (REGULATION (EC	c) No 1272/200	08)
Hazard pictograms		
Signal word	Danger	
Hazard statements	H222 H229 H315 H317 H319 H334 H335 H351 H373	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	P101	If medical advice is needed, have product
•	P102	container or label at hand. Keep out of reach of children.
	Preventior	1:
	P202	Do not handle until all safety precautions
	P210	have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other igni- tion source.
	P251	Do not pierce or burn, even after use.
	P260	Do not breathe dust or mist.
	P271	Use only outdoors or in a well-ventilated ar- ea.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response	:
	P304 + P34	40 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P342 + P3 ⁻	•
	Storage:	
	P405 P410 + P4 [:]	Store locked up. Protect from sunlight. Do not expose to tem-

peratures exceeding 50 °C/ 122 °F.



 Revision Date: 04.06.2025
 Version 2.1
 Print Date 04.06.2025

 Date of last issue: 20.09.2024
 Disposal:
 P501
 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	Registration number 9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 10 - < 20
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit STOT SE 3; H335 >= 5 %	
Reaction products of phosphoryl trichloride and 2-methyloxirane	1244733-77-4 807-935-0 01-2119486772-26- XXXX	Acute Tox. 4; H302 Carc. 2; H351 Aquatic Chronic 3; H412	>= 10 - < 20
		Acute toxicity esti- mate Acute oral toxicity: 630 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika Boom[®]-557 All Seasons

Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1A; H220	>= 5 - < 10
Substances with a workplace expos	sure limit :		
dimethyl ether	115-10-6 204-065-8 01-2119472128-37- XXXX	Flam. Gas 1A; H220	>= 5 - < 10
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1A; H220	>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms an	d e	ffects, both acute and delayed
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
	If inhaled In case of skin contact In case of eye contact If swallowed Most important symptoms an	If inhaled : In case of skin contact : In case of eye contact : If swallowed : Most important symptoms and e

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024		Version 2.1	Print Date 04.06.202					
Risks	:	irritant effects sensitising effects						
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms	s or breathing difficul-					
		ties if inhaled.						
		May cause respiratory irritation.						
		Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.						
4.3 Indication of any immediate	me	dical attention and special treatment no	eeded					
Treatment	:	Treat symptomatically.						
5.1 Extinguishing media Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)						
	:	Dry powder						
Suitable extinguishing media Unsuitable extinguishing media	:	Dry powder Foam Carbon dioxide (CO2) High volume water jet						
Suitable extinguishing media Unsuitable extinguishing	: n the	Dry powder Foam Carbon dioxide (CO2) High volume water jet e substance or mixture						
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	: n the	Dry powder Foam Carbon dioxide (CO2) High volume water jet e substance or mixture Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid)	known					
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: n the	Dry powder Foam Carbon dioxide (CO2) High volume water jet e substance or mixture Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Chlorine compounds	known					
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	: ntho ∶:	Dry powder Foam Carbon dioxide (CO2) High volume water jet e substance or mixture Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Chlorine compounds No hazardous combustion products are						
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: ntho ∶:	Dry powder Foam Carbon dioxide (CO2) High volume water jet e substance or mixture Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Chlorine compounds						

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024	Version 2.1	Print Date 04.06.2025
	Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanit If the product contaminates rivers and respective authorities.	
6.3 Methods and material for co	ntainment and cleaning up	
Methods for cleaning up	: Allow to solidify, use mechanical hand Ventilate the area.	ling equipment.
6.4 Reference to other sections		
For personal protection see s	ection 8.	

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against : fire and explosion	:	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	clu	uding any incompatibilities

Requirements for storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Keep container

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024		Version 2.1	Print Date 04.06.2025
		tightly closed in a dry and well-ventilated pla precautions. Store in accordance with local r	
Further information on stor- age stability	:	No decomposition if stored and applied as di	irected.
7.3 Specific end use(s) Specific use(s)	:	Cleaning with aprotic polar solvents must be Consult most current local Product Data She use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *		
		of exposure)	ters *			
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,005 ppm	FOR-2011-12- 06-1358		
	Further inform	ation: Substances c	considered to evok	e allergies		
	when coming into touch with the eyes or airways or evoking aller-					
	gies after comi	ing into contact with	the skin	-		
		STEL	0,01 ppm	FOR-2011-12- 06-1358		
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC		
	Further information: Indicative					
		TWA	200 ppm 384 mg/m3	FOR-2011-12- 06-1358		
	Further information: The EU has set an indicative limit value					
	and/or a remai	k for this substance	Э			
propane	74-98-6	TWA	500 ppm 900 mg/m3	FOR-2011-12- 06-1358		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024		Version 2.1	Print Date 04.06.2025
		Suitable for short time use or protection against Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	splashes:
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers).	I ISO 20345,
Respiratory protection	:	In case of inadequate ventilation wear respirator Respirator selection must be based on known o exposure levels, the hazards of the product and ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 pp P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation, especially in confir When workers are facing concentrations above limit they must use appropriate certified respirator	r anticipated the safe work- opm is ned areas. the exposure

Environmental exposure controls

General advice	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	aerosol various				
Odour	:	No data available				
Melting point/ range / Freez- ing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability	:	Extremely flammable aerosol.				
Upper/lower flammability or explosive limits						

Upper explosion limit / Up- : No data available per flammability limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024	Version 2.1	Print Date 04.06.2025
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 5100 hPa	
Density	: ca. 0,95 g/cm3 (25 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
0.2 Other information		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.



Sika Boom[®]-557 All Seasons

Revision Date: 04.06.2025 Date of last issue: 20.09.2024	Version 2.1	Print Date 04.06.2025	
10.3 Possibility of hazardous reacti	ons		
•	0115		
Hazardous reactions :	Stable under recommended storage conditions.		
10.4 Conditions to avoid			
Conditions to sucid	Heat flomes and sports		
Conditions to avoid :	Heat, flames and sparks.		
10.5 Incompatible materials			
Materials to avoid :	No data available		
40 C Herendeus desemblesition ave	ducto		
10.6 Hazardous decomposition pro	aucts		
:			
	No hazardous decomposition products are know	'n.	
SECTION 11: Toxicological info	rmation		

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg

Reaction products of phosphoryl trichloride and 2-methyloxirane:

Acute oral toxicity : LD50 Oral (Rat): > 630 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.





Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

plants

Components:

Diphenylmethanediisocyanate, isomeres and homologues:					
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h			
Reaction products of phos	pho	ryl trichloride and 2-methyloxirane:			
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 82 mg/l			

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024	Version 2.1	Print Date 04.06.2025
	NOEC (Pseudokirchneriella subcapitat mg/l Exposure time: 72 h Method: OECD Test Guideline 201	a (green algae)): 13
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	: NOEC: 32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202	
12.2 Persistence and degradabili No data available	У	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	sessment	
Product:		
Assessment	: This substance/mixture contains no control to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.	and toxic (PBT), or
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	: The substance/mixture does not contai ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	erties according to elegated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for this prod	uct.
Global warming potential		
Assessment Report of the Inte Framework Convention on Clir	governmental Panel on Climate Change (I nate Change (UNFCCC)	PCC) of the United Nations
Components:		
propane:		

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

-			
	Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	Waste Code	:	7121
	European Waste Catalogue	:	16 05 04* gases in pressure containers (including halons) containing dangerous substances
	Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		

Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024		Version 2.1	Print Date 04.06.2025
ADR	:	2 2.1	
IMDG	:	2.1	
ΙΑΤΑ	:	2.1	
14.4 Packing group			
ADR Packing group Classification Code Labels Tunnel restriction code Remarks		Not assigned by regulation 5F 2.1 (D) Transport according to chapter 3.4 (LQ) possible	
IMDG Packing group Labels EmS Code Remarks		Not assigned by regulation 2.1 F-D, S-U Transport according to chapter 3.4 (LQ) possible	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		203 Y203 Not assigned by regulation Flammable Gas	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		203 Y203 Not assigned by regulation Flammable Gas	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	
IATA (Passenger) Environmentally hazardous	:	no	
IATA (Cargo) Environmentally hazardous	:	no	
14.6 Special precautions for use	r		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025	Version 2.1	Print Date 04.06.2025
Date of last issue: 20.09.2024		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 :
 Not applicable

 Schedules of Toxic Chemicals and Precursors
 REACH Information:
 All substances contained in our Products are

 registered by our upstream suppliers, and/or
 registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 56: Diphenylme- thanediisocyanate, isomeres and homologues
		Number on list 74: Diphenylme- thanediisocyanate, isomeres and homologues
		Number on list 75
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable



Revision Date: 04.06.2025	Version 2.1	Print Date 04.06.2025
Date of last issue: 20.09.2024		

Seveso III: Directive 2012/18/ jor-accident hazards involving P3a		of the European Parliament and of the Council on the control of ma- ngerous substances. FLAMMABLE AEROSOLS
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 20,89% w/w Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 20,89% w/w

Other regulations:

75/324/EEC

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H220	:	Extremely flammable gas.	
H302	:	Harmful if swallowed.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H319	:	Causes serious eye irritation.	
H332	:	Harmful if inhaled.	
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.	
H335	:	May cause respiratory irritation.	
H351	:	Suspected of causing cancer.	
H373	:	May cause damage to organs through prolonged or repeated	
		exposure if inhaled.	
H412	:	Harmful to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika Boom[®]-557 All Seasons



Revision Date: 04.06.2025 Date of last issue: 20.09.2024 Version 2.1

Print Date 04.06.2025

Carc. Eye Irrit. Flam. Gas Resp. Sens.		Carcinogenicity Eye irritation Flammable gases Respiratory sensitisation
Skin Irrit. Skin Sens.	:	Skin irritation Skin sensitisation
STOT RE STOT SE	:	Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
FOR-2011-12-06-1358 2000/39/EC / TWA	:	Norway. Occupational Exposure limits Limit Value - eight hours
FOR-2011-12-06-1358 / TWA	:	Long term exposure limit
FOR-2011-12-06-1358 / STEL	:	Short term exposure limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL	:	Chemical Abstracts Service Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA IMDG	:	International Air Transport Association International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
	-	once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika Boom[®]-557 All Seasons

Revision Date: 04.06.2025 Date of last issue: 20.09.2024		Version 2.1	Print Date 04.06.2025
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN