

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> Primer MR Fast Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Pretreatment agent
i iouuot uoo	i i follouinent ugent

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

Giftinformasjonen: 22 59 13 00

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statements	:	Prevention:	

Print Date 29.11.2022

Revision Date: 29.11.2022 Date of last issue: 31.08.2020

01 1031 13306. 31.00.2020		
	P261 P264 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P305 + P351 + F	2338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
	P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P362 + P364	Take off contaminated clothing and wash it before reuse.

Version 3.0

#### Hazardous components which must be listed on the label:

Copolymer, amin functional

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Copolymer, amin functional	1312024-58-0	Skin Irrit. 2; H315	>= 20 - < 25
	Not Assigned	Eye Dam. 1; H318	
	-	Skin Sens. 1; H317	

Print Date 29.11.2022

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0

Siloxanes and Silicones, di-Me, 3- hydroxypropyl Me, ethers with polyethylene glycol mono-Me ether	68938-54-5 Not Assigned	Acute Tox. 4; H332 Aquatic Chronic 2; H411 Acute toxicity esti- mate	>= 1 - < 2,5	
		Acute inhalation tox- icity (dust/mist): 1,08 mg/l		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

4.1 Description of mist and measu	
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
4.2 Most important symptoms and	d effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects

Revision Date: 29.11.2022 Date of last issue: 31.08.2020

Version 3.0



Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

4.3	4.3 Indication of any immediate medical attention and special treatment needed			
	Treatment	:	Treat symptomatically.	
SE	CTION 5: Firefighting meas	sure	es	
5.1	Extinguishing media			
	Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.	
5.2	Special hazards arising from	the	e substance or mixture	
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3	Advice for firefighters			
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.	
	Further information	:	Standard procedure for chemical fires.	

# **SECTION 6: Accidental release measures**

<b>6.1 Personal precautions, protecti</b> Personal precautions	<ul> <li>ve equipment and emergency procedures</li> <li>Use personal protective equipment. Deny access to unprotected persons.</li> </ul>
<b>6.2 Environmental precautions</b> Environmental precautions	: Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for cont	5
Methods for cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Keep in suitable, closed containers for disposal.</li> </ul>

# 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Country NO 00000602860

# Sika<sup>®</sup> Primer MR Fast Part B

Print Date 29.11.2022

Revision Date: 29.11.2022 Date of last issue: 31.08.2020		Version 3.0	Print Date 29.11.
Advice on safe handling	:	Avoid exceeding the given occupational exp section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation p ma, allergies, chronic or recurrent respirato not be employed in any process in which th used. Smoking, eating and drinking should be pro plication area. Follow standard hygiene measures when ha products	problems or asth- ry disease should is mixture is being phibited in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protect	ion.
Hygiene measures	:	Handle in accordance with good industrial h practice. When using do not eat or drink. W smoke. Wash hands before breaks and at t	hen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and w place. Containers which are opened must b sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as o	lirected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sh	eet prior to any

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

use.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling

# Sika<sup>®</sup> Primer MR Fast Part B

Revision Date: 29.11.2022



Date of last issue: 31.08.2020		
	chemical products. Reference number EN 374 facturer specifications.	1. Follow manu-
	Suitable for short time use or protection again Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	st splashes:
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to l long-sleeved working clothing, long trousers). and protective boots are additionaly recomme and stirring work.	Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure co	trols	
General advice	: Do not flush into surface water or sanitary sev	ver system.

Version 3.0

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow
Odour	:	pleasant
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 107 °C Method: closed cup
Auto-ignition temperature	:	No data available

# Sika<sup>®</sup> Primer MR Fast Part B

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0



Decomposition temperature	:	No data available
рН	:	ca. 11,23 (20 °C) Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density	:	ca. 1,04 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Print Date 29.11.2022

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

# Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethers with polyethylene glycol mono-Me ether:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg
Acute inhalation toxicity	÷	LC50 (Rat): 1,08 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute toxicity estimate: 1,08 mg/l Test atmosphere: dust/mist Method: Calculation method

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

Revision Date: 29.11.2022 Date of last issue: 31.08.2020

Version 3.0



#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

# Sika<sup>®</sup> Primer MR Fast Part B

Print Date 29.11.2022

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0

Additional ecological infor- : There is no data available for this product. mation

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste Code	:	7051
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	B Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good

Revision Date: 29.11.2022 Date of last issue: 31.08.2020 Version 3.0



## 14.4 Packing group

: Not regulated as a dangerous good	
: Not regulated as a dangerous good	
: Not regulated as a dangerous good	
: Not regulated as a dangerous good	
	<ul><li>Not regulated as a dangerous good</li><li>Not regulated as a dangerous good</li></ul>

## 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

<b>15.1 Safety, health and environmental regulations/leg</b> REACH - Restrictions on the manufacture, placing of the market and use of certain dangerous substances mixtures and articles (Annex XVII)	n : Conditions of restriction for the fol-
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that o plete the ozone layer	le- : Not applicable
Regulation (EU) 2019/1021 on persistent organic po tants (recast)	llu- : Not applicable
Regulation (EC) No 649/2012 of the European Parlia ment and the Council concerning the export and imp of dangerous chemicals	
	ntained in our Products are r upstream suppliers, and/or 11 / 13

# Sika<sup>®</sup> Primer MR Fast Part B

Print Date 29.11.2022

Revision Date: 29.11.2022
Date of last issue: 31.08.2020

Version 3.0

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds: Law on the incentive tax for volatile organic compounds<br/>(VOCV)<br/>Volatile organic compounds (VOC) content: < 0,01% w/w<br/>no VOC dutiesDirective 2010/75/EU of 24 November 2010 on industrial<br/>emissions (integrated pollution prevention and control)<br/>Volatile organic compounds (VOC) content: < 0,01% w/w</td>

Product registration number : 614531

## Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

#### Full text of H-Statements

H315 H317 H318 H332 H411	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service

Revision Date: 29.11.2022 Date of last issue: 31.08.2020



e of last issue: 31.08.2020		
DNEL EC50 GHS IATA IMDG	:	Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Version 3.0

Further information				
Classification o	f the mixture:	Classification procedure:		
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
Skin Sens. 1	H317	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN