

Version 6.1

Print Date 16.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaCeram[®]-355 StarPaste

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaCeram®-355 StarPaste



Revision Date: 16.07.2025 Date of last issue: 03.03.2025 Version 6.1

Print Date 16.07.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
1.2 hanziaathiazal 2(2L) and	Registration number		D 0005 1
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate	>= 0,0025 - < 0,025
		Acute oral toxicity: 450 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,21 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-355 StarPaste

Revision Date: 16.07.2025 Date of last issue: 03.03.2025



Print Date 16.07.2025

e of last issue: 03.03.2025			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Version 6.1

Print Date 16.07.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and e	ffects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.

Risks	:	No known significant effects or hazards.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.



SikaCeram[®]-355 StarPaste

Revision Date: 16.07.2025 Date of last issue: 03.03.2025	Version 6.1	Print Date 16.07.2025
SECTION 6: Accidental relea	se measures	
6.1 Personal precautions, prote	ctive equipment and emergency procedur	res
Personal precautions	: For personal protection see section 8.	

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 6.1

Print Date 16.07.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses	
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	No special measures required.	
Environmental exposure controls			
Conoral adviso		No special environmental pressutions required	

: No special environmental precautions required. General advice

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Form Colour	:	liquid paste white
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	100 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-355 StarPaste



Revision Date: 16.07.2025 Date of last issue: 03.03.2025	Version 6.1	Print Date 16.07.2025

Flammability (solid, gas)	:	No data available
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	not determined
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	7,5 - 8
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	23 hPa
Density		1,5 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available



Revision Date: 16.07.2025 Date of last issue: 03.03.2025	Version 6.1	Print Date 16.07.2025
SECTION 10: Stability and read	tivity	
10.1 Reactivity No dangerous reaction known ι	nder conditions of normal use.	
10.2 Chemical stability The product is chemically stable		
10.3 Possibility of hazardous reac	ions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid Conditions to avoid	: No data available	
10.5 Incompatible materials Materials to avoid	: No data available	
10.6 Hazardous decomposition pr	oducts	
	: No hazardous decomposition products are k	nown.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity		Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

SikaCeram[®]-355 StarPaste



Revision Date: 16.07.2025 Date of last issue: 03.03.2025 Version 6.1

Print Date 16.07.2025

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract. Skin corrosion/irritation Not classified due to lack of data. Serious eye damage/eye irritation Not classified due to lack of data. Respiratory or skin sensitisation Skin sensitisation Not classified due to lack of data. **Respiratory sensitisation** Not classified due to lack of data. Components: 1,2-benzisothiazol-3(2H)-one (BIT): Assessment May cause sensitisation by skin contact. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. **STOT - repeated exposure** Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 6.1

Print Date 16.07.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic	:	100

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

toxicity)

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaCeram[®]-355 StarPaste



Revision Date: 16.07.2025	Version 6.1	Print Date 16.07.2025
Date of last issue: 03.03.2025		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

Revision Date: 16.07.2025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-355 StarPaste



Print Date 16.07.2025

Date of last issue: 03.03.2025	10101	10.1	1 mil Date 10.07.2023
Date of last 1550e. 05.05.2025			
ADR	: Not regulated as a da	angerous good	
IMDG	: Not regulated as a da	angerous good	
IATA (Cargo)	: Not regulated as a da	angerous good	
IATA (Passenger)	: Not regulated as a da	angerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	-		
14.6 Special precautions for use Not applicable	er		
14.7 Maritime transport in bulk a	according to IMO instrum	nents	
Not applicable for product as	supplied.		
SECTION 15: Regulatory info	ormation		
15.1 Safety, health and environr	mental regulations/legisla	ation specific for t	he substance or mixture
International Chemical Weap	ons Convention (CWC)	: Not applicab	
Schedules of Toxic Chemical	s and Precursors		
REACH Information:	All substances conta		
	 registered by our up registered by us, ar 		ind/or
	- excluded from the r	egulation, and/or	
	- exempted from the	registration.	
REACH - Restrictions on the	manufacture, placing on	: Conditions of	restriction for the fol-
the market and use of certain	dangerous substances,	lowing entrie	s should be considered:
mixtures and articles (Annex	XVII)	Number on li	st 75
REACH - Candidate List of S Concern for Authorisation (Ar		: None of the ((=> 0.1 %).	components are listed
Υ.	,	, , , , , , , , , , , , , , , , , , ,	
REACH - List of substances	subject to authorisation	: Not applicab	e
(Annex XIV)		. Het applicas	•
Regulation (EU) No 2024/590) on substances that de-	: Not applicab	е
plete the ozone layer			

Version 6.1

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)

SikaCeram[®]-355 StarPaste



Revision Date: 16.07.2025 Date of last issue: 03.03.2025	Version 6.1	Print Date 16.07.2025
Regulation (EU) No 649/2012 ment and the Council concerr of dangerous chemicals		able
Seveso III: Directive 2012/18/ jor-accident hazards involving	EU of the European Parliament and of the dangerous substances. Not applicable	Council on the control of ma-
Volatile organic compounds	: Law on the incentive tax for volatile of (VOCV) no VOC duties	rganic compounds
	Directive 2010/75/EU of 24 Novembe livestock rearing emissions (integrate and control) Volatile organic compounds (VOC) co	d pollution prevention

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H314 H315 H317 H318 H330 H400 H410		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. ADR		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road Chamical Abstracts Service
CAS DNEL EC50 GHS IATA	:	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCeram[®]-355 StarPaste



Revision Date: 16.07.2025 Date of last issue: 03.03.2025		Version 6.1	Print Date 16.07.2025
IMDG	:	International Maritime Code for Dangerou	is Goods
LD50	:	Median lethal dosis (the amount of a mate	erial, given all at
		once, which causes the death of 50% (on test animals)	e half) of a group of
LC50	:	Median lethal concentration (concentratio	ns of the chemical in
		air that kills 50% of the test animals durin	g the observation
		period)	
MARPOL	:	International Convention for the Prevention	
		Ships, 1973 as modified by the Protocol of	of 1978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Eur	
		and of the Council of 18 December 2006	a b
		istration, Evaluation, Authorisation and R	
		cals (REACH), establishing a European C	Chemicals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN