

Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikaflex[®] AT Connection

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person responsible for the SDS	:	kundeservice@no.sika.com

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Urea,N,N''-(methylenedi-4,1- phenylene)bis[N'-butyl-	77703-56-1 416-600-4 01-0000016345-72- XXXX	Aquatic Chronic 4; H413	>= 5 - < 10
distillates (petroleum), hydrotreat- ed light paraffinic	64742-55-8 265-158-7 01-2119487077-29- XXXX	Asp. Tox. 1; H304 EUH066	>= 5 - < 10
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 16,8 mg/l	>= 0,1 - < 0,5
Substances with a workplace expo Titanium dioxide (> 10 µm)	sure limit : 13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately.

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023		Version 5.1	Print Date 03.03.2025
		Wash off with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical ad Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncon	
4.2 Most important symptoms and	d e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed informati and symptoms.	on on health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate m	e	dical attention and special treatment need	ded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting measu 5.1 Extinguishing media Suitable extinguishing media		es In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chen extinction.	
5.2 Special hazards arising from t			
Hazardous combustion prod- ucts	:	No hazardous combustion products are kn	IOWN
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	eathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	e r	neasures	
6.1 Personal precautions, protecti	iv	e equipment and emergency procedures	
Personal precautions	:	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions requ	Jired.

Sikaflex[®] AT Connection



Revision Date: 03.03.2025	Version 5.1	Print Date 03.03.2025
Date of last issue: 21.12.2023		

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
distillates (petroleum), hydrotreated light	64742-55-8	TWA	40 ppm	FOR-2011-12-
paraffinic			275 mg/m3	06-1358
		TWA (Vapour)	50 mg/m3	FOR-2011-12-
			-	06-1358
		TWA (Mist and	1 mg/m3	FOR-2011-12-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikaflex[®] AT Connection

Revision Date: 03.03.2025

Version 5.1

Print Date 03.03.2025

Date of last issue: 21.12.2023

		particles)		06-1358
Titanium dioxide (> 10 μm)	13463-67-7	TWA	5 mg/m3	FOR-2011-12-
				06-1358

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	CAS-No. Value type (Form of exposure)		Basis *	
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC	
		Further information: Indicative, Identifies the possibility of cant uptake through the skin			
		TWA 100 ppm 130 mg/m3			
	and/or a rema	Further information: The EU has set an indicative limit value and/or a remark for this substance, Chemicals that can be ab- sorbed through the skin.			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

Environmental exposure co	ntrols
General advice	: No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Int	ormation on basic physical	an	a chemical properties
Р	hysical state	:	liquid
Α	ppearance	:	paste
С	olour	:	various
0	dour	:	very faint
	lelting point/ range / Freez- lg point	:	No data available
В	oiling point/boiling range	:	No data available
F	lammability (solid, gas)	:	No data available
U	pper/lower flammability or o	exp	losive limits
-	Upper explosion limit / Up-	-	
	per flammability limit	•	
	por narimability limit		
	Lower explosion limit / Lower flammability limit	:	No data available
E	lash point	:	> 101 °C
Г		•	Method: closed cup
А	uto-ignition temperature	:	No data available
		-	
	accomposition tomporature		Na data availabla
D	ecomposition temperature	:	No data available
р	Н	:	Not applicable
V	iscosity		
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
S	olubility(ies)		
5	Water solubility	:	insoluble
		•	



Sikaflex[®] AT Connection

Revision Date: 03.03.2025 Date of last issue: 21.12.2023	Version 5.1	Print Date 03.03.2025

octanol/water	
Vapour pressure	: 1 hPa
Density	: ca. 1,31 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

Partition coefficient: n- : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

vailable

10.6 Hazardous decomposition products

: methanol



Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402
trimethoxyvinylsilane:		
Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Components:

distillates (petroleum), hydrotreated light paraffinic:

Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

14.1 UN number or ID number

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023	Version 5.1		Print Date 03.03.2025
ADR	Not regulated as a dang	erous good	
IMDG	Not regulated as a dang	erous good	
ΙΑΤΑ	Not regulated as a dang	erous good	
14.2 UN proper shipping name			
ADR	Not regulated as a dang	erous good	
IMDG	Not regulated as a dang	erous good	
ΙΑΤΑ	Not regulated as a dang	erous good	
14.3 Transport hazard class(es)			
ADR	Not regulated as a dang	erous good	
IMDG	Not regulated as a dang	erous good	
ΙΑΤΑ	Not regulated as a dang	erous good	
14.4 Packing group			
ADR	Not regulated as a dang	erous good	
IMDG	Not regulated as a dang	erous good	
IATA (Cargo)	Not regulated as a dang	erous good	
IATA (Passenger)	Not regulated as a dang	erous good	
14.5 Environmental hazards		-	
Not regulated as a dangerous g	bc		
14.6 Special precautions for user			
Not applicable			
14.7 Maritime transport in bulk ac	•	tS	
Not applicable for product as su	plied.		

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 : Not applicable

 Schedules of Toxic Chemicals and Precursors
 : Not applicable

 REACH Information:
 All substances contained in our Products are

 - registered by our upstream suppliers, and/or
 : registered by us, and/or

 - excluded from the regulation, and/or
 : exempted from the registration.

 REACH - Restrictions on the manufacture, placing on
 : Conditions of restriction for the fol

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023	Version 5.1	Print Date 03.03.2025
		Banned and/or restricted
REACH - Candidate List of Subst Concern for Authorisation (Article		None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de- :	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)	or volatile organic compounds ds (VOC) content: < 0,01% w/w
	livestock rearing emission and control)	4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapour.
H304 :	May be fatal if swallowed and enters airways.
H317 :	May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex[®] AT Connection



Revision Date: 03.03.2025 Date of last issue: 21.12.2023	Version 5.1	Print Date 03.03.2025	
H332 H413	Harmful if inhaled. May cause long lasting harmful effects to aquat	ic life.	
Full text of other abbreviation	S		
Acute Tox.	Acute toxicity		
Aquatic Chronic	Long-term (chronic) aquatic hazard		
Asp. Tox.	Aspiration hazard		
Flam. Liq.	Flammable liquids		
Skin Sens.	Skin sensitisation		
2006/15/EC	Europe. Indicative occupational exposure limit	/alues	
FOR-2011-12-06-1358	Norway. Occupational Exposure limits		
2006/15/EC / TWA	Limit Value - eight hours		
FOR-2011-12-06-1358 /	Long term exposure limit		
TWA			
ADR	European Agreement concerning the Internatio	nal Carriage of	
	Dangerous Goods by Road		
CAS	Chemical Abstracts Service		
DNEL	Derived no-effect level		
EC50	Half maximal effective concentration		
GHS	Globally Harmonized System		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Code for Dangerous Goo		
LD50	Median lethal dosis (the amount of a material, g	given all at	
	once, which causes the death of 50% (one half		
	test animals)		
LC50	Median lethal concentration (concentrations of	the chemical in	
	air that kills 50% of the test animals during the	observation	
	period)		
MARPOL	International Convention for the Prevention of F	Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	8	
OEL	Occupational Exposure Limit		
PBT	Persistent, bioaccumulative and toxic		
PNEC	Predicted no effect concentration		
REACH	Regulation (EC) No 1907/2006 of the Europear	n Parliament	
	and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restrict		
	cals (REACH), establishing a European Chemi		
SVHC	Substances of Very High Concern	Lais Ayency	
vPvB			
VEND	Very persistent and very bioaccumulative		

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN

Country NO 00000218996

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikaflex[®] AT Connection

Revision Date: 03.03.2025 Date of last issue: 21.12.2023 Version 5.1

Print Date 03.03.2025

Jika®