

Version 1.2

Print Date 17.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-329 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Norge AS
		Sanitetsveien 1
		2013 Skjetten
Telephone	:	+47 67 06 79 00
E-mail address of person	:	kundeservice@no.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftinformasjonen: 22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-329 Part B



Revision Date: 05.02.2025 Version 1.2 Print Date 17.02.2025 Date of last issue: 03.10.2024 Hazard pictograms Signal word Danger 1 H315 Causes skin irritation. Hazard statements May cause an allergic skin reaction. H317 H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. H335 Suspected of causing cancer. H351 May cause damage to organs through prolonged H373 or repeated exposure if inhaled. Prevention: Precautionary statements P201 Obtain special instructions before use. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:** P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P342 + P311 If experiencing respiratory symptoms: Call a

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate methylenediphenyl diisocyanate 4,4`-Methylenediphenyl diisocyanate, oligomers o-(p-isocyanatobenzyl)phenyl isocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

POISON CENTER/ doctor.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.2

Print Date 17.02.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	Registration number 9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373Specific concentration limit Eye Irrit. 2; H319 >= 5 %specific concentration limit Resp. Sens. 1; H334 >= 0,1 %specific concentration limit Skin Irrit. 2; H315 >= 5 %specific concentration limit 	>= 20 - < 25

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-329 Part B

Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2



Print Date 17.02.2025

4,4'-methylenediphenyl diisocya-	101-68-8	Acute Tox. 4; H332	>= 10 - < 20
nate	202-966-0	Skin Irrit. 2; H315	
	01-2119457014-47-	Eye Irrit. 2; H319	
	XXXX	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT SE 3; H335	
		(Respiratory system)	
		STOT RE 2; H373	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		specific concentration	
		limit	
		STOT SE 3; H335 >= 5 %	
		>= 5 %	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration	
		limit	
		Resp. Sens. 1; H334	
		>= 0,1 %	
		Acute toxicity esti-	
		mate	
		Acute inhalation tox-	
		icity (dust/mist): 1,5	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-329 Part B

Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2



Print Date 17.02.2025

of last issue: 03.10.2024			
methylenediphenyl diisocyanate	26447-40-5 905-806-4 01-2119457015-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 5 - < 10
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 1 - < 2,5
		Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-329 Part B

Jika®

Revision Date: 05.02.2025 Date of last issue: 03.10.2024	Version 1.2	2	Print Date 17.02.2025
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1 227-534-9 01-2119480143-45- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 0,5 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024	Version 1.2	Print Date 17.02.2025
	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information of and symptoms.	n health effects
Risks :	irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonge exposure if inhaled.	-
-	edical attention and special treatment needed	
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		



Revision Date: 05.02.2025 Date of last issue: 03.10.2024		Version 1.2 Print Date 17.0		
5.3 Advice for firefighters				
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	thing apparatus.	
Further information	:	Standard procedure for chemical fires.		
SECTION 6: Accidental releas	se i	neasures		
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures		
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions				
Environmental precautions	:	Do not flush into surface water or sanitary see If the product contaminates rivers and lakes respective authorities.		
6.3 Methods and material for cor	ntai	nment and cleaning up		
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. s acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispo	-	
6.4 Reference to other sections				

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Sikafloor[®]-329 Part B

Advice on safe handling	: Avoid formation of aerosol.
-	Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the application area.
	Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products

Advice on protection against	:	Normal measures for preventive fire protection.
------------------------------	---	---



Revision Date: 05.02.2025 Date of last issue: 03.10.2024		Version 1.2	Print Date 17.02.2025
fire and explosion			
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage,	incl	uding any incompatibilities	
Requirements for storage areas and containers	:	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s) Specific use(s)	:	Cleaning with aprotic polar solvents must be avo Consult most current local Product Data Sheet p use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

_

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,005 ppm	FOR-2011-12- 06-1358	
	Further inform	ation: Substances c	Substances considered to evoke allergies		
	when coming i	into touch with the e	yes or airways or	evoking aller-	
	gies after com	ing into contact with	the skin	C	
		STEL	0,01 ppm	FOR-2011-12- 06-1358	
4,4'-methylenediphenyl diisocyanate	101-68-8	STEL	0,01 ppm	FOR-2011-12- 06-1358	
	Further information: Substances considered to evoke allergie				
	when coming i	yes or airways or	evoking aller-		
	gies after coming into contact with the skin			-	
		TWA	0,005 ppm 0,05 mg/m3	FOR-2011-12- 06-1358	
methylenediphenyl diisocyanate	26447-40-5	TWA	0,005 ppm	FOR-2011-12- 06-1358	
	Further information: Substances considered			e allergies	
	when coming into touch with the eyes or airways or e				
	gies after coming into contact with the skin				
		STEL	0,01 ppm	FOR-2011-12- 06-1358	



Version 1.2

Print Date 17.02.2025

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.



Version 1.2

Print Date 17.02.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid brown
Odour	:	musty
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	ca. 3.500 mPa.s (23 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	partly soluble

: No data available

Partition coefficient: n-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024	Version 1.2	Print Date 17.02.2025		
octanol/water				
Vapour pressure	: 0,01 hPa			
Density	: ca. 1,20 g/cm3 (20 °C)			
Relative vapour density	: No data available			
Particle characteristics	: No data available			
9.2 Other information No data available SECTION 10: Stability and read	411/141/			
·	livity			
10.1 Reactivity No dangerous reaction known ι	nder conditions of normal use			
10.2 Chemical stability The product is chemically stable.				
10.3 Possibility of hazardous reac	tions			
Hazardous reactions	: No hazards to be specially mentioned.			
10.4 Conditions to avoid				
Conditions to avoid	: No data available			
10.5 Incompatible materials				
Materials to avoid	: No data available			
10.6 Hazardous decomposition products				

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

1


Acute toxicity

Harmful if inhaled.

Sikafloor®-329 Part B



Revision Date: 05.02.2025 Version 1.2 Print Date 17.02.2025 Date of last issue: 03.10.2024 **Components:** Diphenylmethanediisocyanate, isomeres and homologues: Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation. Acute dermal toxicity LD50 Dermal (Rabbit): > 9.400 mg/kg 5 4,4'-methylenediphenyl diisocyanate: LD50 Oral (Rat): > 5.000 mg/kg Acute oral toxicity : Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method 4,4`-Methylenediphenyl diisocyanate, oligomers: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute inhalation toxicity LC50: 1,5 mg/l 5 Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method : LD50 Dermal (Rabbit): > 9.400 mg/kg Acute dermal toxicity Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation





Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2

Print Date 17.02.2025

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:				
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h		
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h		

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2

Print Date 17.02.2025

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

mation

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor-	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste Code	: 7121



Version 1.2

Print Date 17.02.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable			

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024	Version 1.2	Print Date 17.02.2025
REACH - Restrictions on the manufacture the market and use of certain dangerous mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Number on list 56:
		Diphenylmethanediisocyanate, iso- meres and homologues, 4,4'- methylenediphenyl diisocyanate, methylenediphenyl diisocyanate, 4,4`-Methylenediphenyl diisocya- nate, oligomers, o-(p- isocyanatobenzyl)phenyl isocyanate Number on list 74:
		Diphenylmethanediisocyanate, iso- meres and homologues, 4,4'- methylenediphenyl diisocyanate, methylenediphenyl diisocyanate, 4,4`-Methylenediphenyl diisocya- nate, oligomers, o-(p- isocyanatobenzyl)phenyl isocyanate
		Number on list 75
REACH - Candidate List of Substances of Concern for Authorisation (Article 59).	Very High :	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to au (Annex XIV)	thorisation :	Not applicable
Regulation (EU) No 2024/590 on substand plete the ozone layer	ces that de- :	Not applicable
Regulation (EU) 2019/1021 on persistent tants (recast)	organic pollu- :	Not applicable
Regulation (EU) No 649/2012 of the Europered ment and the Council concerning the expo of dangerous chemicals		Not applicable

Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2

Print Date 17.02.2025

Seveso III: Directive 2012/18/ jor-accident hazards involving		of the European Parliament and of the Council on the control of ma- ngerous substances. Not applicable
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable
Product registration number	:	667655

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
------------	------------------

Sikafloor[®]-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024 Version 1.2

Print Date 17.02.2025

Carc. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE FOR-2011-12-06-1358 FOR-2011-12-06-1358 / TWA		Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Norway. Occupational Exposure limits Long term exposure limit
FOR-2011-12-06-1358 / STEL	:	Short term exposure limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50 GHS	:	Half maximal effective concentration
IATA	:	Globally Harmonized System International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-329 Part B



Revision Date: 05.02.2025 Date of last issue: 03.10.2024		Version 1.2	Print Date 17.02.2025
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NO / EN